

# 1Z0-1072-21<sup>Q&As</sup>

Oracle Cloud Infrastructure 2021 Architect Associate

# Pass Oracle 1Z0-1072-21 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass4itsure.com/1z0-1072-21.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Oracle Official Exam Center

Instant Download After Purchase

- 100% Money Back Guarantee
- 🔅 365 Days Free Update
- 800,000+ Satisfied Customers





## **QUESTION 1**

Which option lists Virtual Cloud Networks (VCNs) that can be peered?

A. VCN A (172.16.0.0/24) and VCN B (172.16.0.0/28)

B. VCN A (10.0.0/16) and VCN B (10.1.0.0/16)

C. VCN A (10.0.2.0/16) and VCN B (10.0.2.0/25)

D. VCN A (10.0.0/16) and VCN B (10.0.16.0/24)

Correct Answer: B

#### **QUESTION 2**

Which two choices are true for Autonomous Data Warehouse (ADW)? (Choose two.)

- A. Billing stops only when the ADW is terminated
- B. Billing stops for both CPU usage and storage usage when ADW is stopped
- C. Billing for compute stops when ADW is stopped
- D. Billing for storage continues when ADW is stopped

Correct Answer: CD

When Autonomous Databas instance is stopped, CPU billing is halted based on full-hour cycles of usage Billing for storage continues as long as the service instance exists. and When Autonomous Database instance is started, the CPU billing is initiated

#### **QUESTION 3**

You have hired a new employee to run reports from the Autonomous Data Warehouse (ADW) and are not

confident in their SQL writing ability.

Into which consumer group will you assign this individual to minimize the impact of their code?

A. Lowest

- B. Medium
- C. Highest
- D. High
- E. Low
- Correct Answer: E



in ADW, The tnsnames.ora file provided with the credentials zip file contains three database service names identifiable as high, medium, and low. The predefined service names provide different levels of performance and concurrency for Autonomous Data Warehouse. high: The High database service provides the highest level of resources to each SQL statement resulting in the highest performance, but supports the fewest number of concurrent SQL statements. Any SQL statement in this service can use all the CPU and IO resources in your database. The number of concurrent SQL statements that can be run in this service is 3, this number is independent of the number of OCPUs in your database. medium: The Medium database service provides a lower level of resources to each SQL statement potentially resulting a lower level of performance, but supports more concurrent SQL statements. Any SQL statement in this service can use multiple CPU and IO resources in your database. The number of concurrent SQL statements that can be run in this service depends on the number of OCPUs in your database. low: The Low database service provides the least level of resources to each SQL statement, but supports the most number of concurrent SQL statements. Any SQL statement in this service can use a single CPU and multiple IO resources in your database. The number of concurrent SQL statements that can be run in this service can be up to 300 times the number of OCPUs. The predefined service names provide different levels of performance and concurrency for Autonomous DB Choose whichever database service offers the best balance of performance and concurrency. Use the low database service name. to minimize the impact of their SQLs to by low consumer group

#### **QUESTION 4**

You have deployed a compute instance (VM.Standard2.24) to run an Oracle database. With this set up, you run into some performance issues and want to leverage an OCI Dense IO shape (VM.DenseIO2.24), with which you get 25.6 TB local NVMe SSD. You do not want to lose the configuration changes you made to the instance. Which of the following TWO steps ARE NOT required to make this transition?

A. Terminate the VM.Standard2.24 instance and do not preserve the boot volume

B. Create a new instance using the VM.Dense102.24 shape using the preserved boot volume and move the Oracle Database data to NVMe disks

C. Terminate the VM.Standard2.24 instance and preserve the boot volume

D. Create a new instance using a VM.DenseIO2.24 shape using the preserved boot volume and move the Oracle Database data to block volumes

Correct Answer: AD

You can permanently terminate (delete) instances that you no longer need. Any attached VNICs and volumes are automatically detached when the instance terminates. Eventually, the instance\\'s public and private IP addresses are released and become available for other instances. By default, the instance\\'s boot volume is deleted when you terminate the instance, however you can preserve the boot volume associated with the instance, so that you can attach it to a different instance as a data volume, or use it to launch a new instance. Dense I/O Shapes Designed for large databases, big data workloads, and applications that require high-performance local storage. DenselO shapes include locally-attached NVMe-based SSDs. so once you create the VM.DenselO you need to moce the Database to locally-attached NVMe-based SSDs

## **QUESTION 5**

You are running your warehouse using Autonomous Data Warehouse (ADW) service and you noticed that a newly configured batch job is always running in serial even through nothing else is running in the database. All your jobs are configured to run with parallelism enabled. What could be the reason for this batch job to run in serial?



- A. The batch job depends on only one table and parallelism cannot be enabled on single-table queries.
- B. The parallelism of batch job depends on the number of ADW databases involved in the query.
- C. The new batch job is connected to LOW consumer group.
- D. The new batch job runs on database tables that are not enable for parallel execution.
- E. Parallelism on the database is controlled by the application, not the database.

Correct Answer: C

Latest 1Z0-1072-21 Dumps 1Z0-1072-21 VCE Dumps 1Z0-1072-21 Study Guide