



1Z0-1072-21^{Q&As}

Oracle Cloud Infrastructure 2021 Architect Associate

Pass Oracle 1Z0-1072-21 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/1z0-1072-21.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which two options are available when configuring DNS resolution for your virtual cloud network? (Choose two.)

- A. Internet and custom resolver
- B. Google DNS servers
- C. custom resolver
- D. Internet and virtual cloud network (VCN) resolver

Correct Answer: CD

References: <https://docs.cloud.oracle.com/iaas/Content/Database/Tasks/launchingDB.htm>

QUESTION 2

You are designing a networking infrastructure in multiple Oracle Cloud Infrastructure regions and require connectivity between workloads in each region. You have created a dynamic routing gateway (DRG) and a remote peering connection. However, your workloads are unable to communicate with each other. What are two reasons for this? (Choose two.)

- A. The security lists associated with subnets in each virtual cloud network (VCN) do not have the appropriate ingress rules
- B. Identity and Access Management (IAM) policies have not been defined to allow connectivity across the two VCNs in different regions
- C. A local peering gateway needs to be created in each VCN with a default route rule added in the route table forwarding the traffic to the local peering gateway
- D. An Internet gateway needs to be created in each VCN with a default route rule added in the route table forwarding the traffic to the Internet Gateway
- E. The route table associated with subnets in each VCN do not have a route rule defined to forward the traffic to their respective DRGs

Correct Answer: AE

Setting Up a Remote Peering Create the RPCs: Each VCN administrator creates an RPC for their own VCN's DRG. Share information: The administrators share the basic required information. Set up the required IAM policies for the connection: The administrators set up IAM policies to enable the connection to be established. Establish the connection: The requestor connects the two RPCs (see Important Remote Peering Concepts for the definition of the requestor and acceptor). Update route tables: Each administrator updates their VCN's route tables to enable traffic between the peered VCNs as desired. Update security rules: Each administrator updates their VCN's security rules to enable traffic between the peered VCNs as desired.

QUESTION 3

You have one database-style application that frequently makes many random reads and writes across the



dataset.

Which storage offering supports this application?

- A. Object Storage Service
- B. Archive Storage Service
- C. File Storage Service
- D. Block Storage Service

Correct Answer: D

QUESTION 4

In which two ways does Oracle Cloud Infrastructure (OCI) file storage (FSS) differ from OCI object storage and block volume services? (Choose two.)

- A. Block volume service is NVMe based, while FSS is not
- B. Object storage and block volume services offer default encryption, but FSS does not
- C. A file system is created within an availability domain, whereas object storage buckets exist at the region level
- D. FSS uses the network file system (NFS) protocol, whereas block volume uses iSCSI

Correct Answer: CD

QUESTION 5

You have multiple applications installed on a compute instance and these applications generate a large amount of log files. These log files must reside on the boot volume for a minimum of 15 days and must be retained for at least 60 days. The 60-day retention requirement is causing an issue with available disk space. What are the two recommended methods to provide additional boot volume space for this compute instance? (Choose two.)

- A. Terminate the instance while preserving the boot volume. Create a new instance from the boot volume and select a DenseIO shape to take advantage of local NVMe storage.
- B. Create an object storage bucket and use a script that runs daily to move log files older than 15 days to the bucket.
- C. Create and attach a block volume to the compute instance and copy the log files.
- D. Create a custom image and launch a new compute instance with a larger boot volume size.
- E. Write a custom script to remove the log files on a daily basis and free up the space on the boot volume.

Correct Answer: BD

These log files must reside on the boot volume for a minimum of 15 days so you have to increase the boot Volume



VCE & PDF

Pass4itSure.com

<https://www.pass4itsure.com/1z0-1072-21.html>

2024 Latest pass4itsure 1Z0-1072-21 PDF and VCE dumps Download

[1Z0-1072-21 PDF Dumps](#)

[1Z0-1072-21 VCE Dumps](#)

[1Z0-1072-21 Study Guide](#)