1Z0-1072-22 Q&As

Oracle Cloud Infrastructure 2022 Architect Associate

Pass Oracle 1Z0-1072-22 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass4itsure.com/1z0-1072-22.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle Official Exam Center

- **Instant Download** After Purchase
- **100% Money Back** Guarantee
- **365 Days** Free Update
- **800,000+** Satisfied Customers

QUESTION 1

Which two statements are true about encryption on Oracle Cloud Infrastructure (OCI)? (Choose two.)

A. By default, object storage and block storage are encrypted at rest.

B. A customer is responsible for data encryption in all services of OCI.

C. By default, DB Systems offers an encrypted database.

D. By default, NVMe drives are encrypted but the block volume service is not.

Correct Answer: AC

References: https://cloud.oracle.com/storage/object-storage/features

QUESTION 2

You have compartments C and D under the root compartment in your Oracle Cloud Infrastructure (OCI) tenancy; compartment C contains a sub-compartment also named D. You are trying to move this sub-compartment D to the parent compartment D like shown in the picture, but the move fails.



What is the reason for this error?

A. You need to move all the compartments in the hierarchy to the new parent compartment.

B. You cannot move a subcompartment to another parent compartment.

C. Both parent and child compartments cannot have the same name.

D. Sub-compartment D needs to be empty before it can be moved.

Correct Answer: C

Reference: https://docs.cloud.oracle.com/en-us/iaas/Content/Identity/Tasks/managingcompartments.htm (restriction on moving compartments)

QUESTION 3

You are asked to create a user that will access programmatic endpoints in Oracle Cloud Infrastructure. The user must not be allowed to authenticate by username and password. Which two authentication options can you use? (Choose two.)

A. PEM Certificate file

B. Auth tokens

C. API signing key

D. Windows password

E. SSH key pair

Correct Answer: BC

QUESTION 4

Which two statements are true about restoring a block volume from a manual or policy-based block volume backup? (Choose two.)

A. It can be restored as new volumes with different sizes from the backups

B. It can be restored as a new volume to any AD across different regions

C. It must be restored as a new volume to the same availability domain (AD) on which the original block volume backup resides

D. It can be restored as a new volume to any AD in the same region

Correct Answer: AD

A ?Backups are encrypted and stored in Oracle Cloud Infrastructure Object Storage, and can be restored as new volumes to any availability domain within the same region they are stored. D- You can restore a block volume backup to a larger volume size. To do this, check Custom Block Volume Size (GB), and then specify the new size. You can only increase the size of the volume, you cannot decrease the size.

QUESTION 5

You have an Oracle Cloud Infrastructure (OCI) load balancer distributing traffic via an evenly- weighted round robin policy to your backend web servers. You notice that one of your web servers is receiving more traffic than other web servers. How can you resolve this imbalance?

A. Check security lists and route tables of your virtual cloud network (VCN) and fix any issues associated with the rules

B. Create separate listeners for each backend web server

C. Delete and re-create your OCI load balancer

D. Disable session persistence on your backend set

Correct Answer: D

Session persistence is a method to direct all requests originating from a single logical client to a single backend web server. Backend servers that use caching to improve performance, or to enable log-in sessions or shopping carts, can benefit from session persistence

Latest 1Z0-1072-22 Dumps 1Z0-1072-22 Study Guide 1Z0-1072-22 Exam Questions