



1Z0-1072-22^{Q&As}

Oracle Cloud Infrastructure 2022 Architect Associate

Pass Oracle 1Z0-1072-22 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/1z0-1072-22.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

Which two statements are true about an Oracle Cloud Infrastructure Virtual Cloud Network (VCN)? (Choose two.)

- A. A VCN can reside in multiple Oracle Cloud Infrastructure regions and Availability Domains.
- B. A VCN covers a single contiguous IPv4 CIDR block of your choice.
- C. An allowable VCN size range is: /16 to /30.
- D. A VCN creates the dynamic routing gateway by default.

Correct Answer: BC

VCN resides in a single Oracle Cloud Infrastructure region and covers a single, contiguous IPv4 CIDR block of your choice. The allowable VCN size range is /16 to /30

QUESTION 2

Which two statements are true about data guard service on DB Systems in Oracle Cloud Infrastructure (OCI)? (Choose two.)

- A. Data guard implementation requires two DB Systems, one running the primary database on a virtual machine and the standby database running on bare metal
- B. Data guard configuration on the OCI is limited to one standby database per primary database
- C. Data guard configuration on the OCI is limited to a virtual machine only
- D. Data guard implementation requires two DB Systems, one containing the primary database and one containing the standby database

Correct Answer: BD

QUESTION 3

You need to set up instance principals so that an application running on an instance can call Oracle Cloud Infrastructure (OCI) public services, without the need to configure user credentials. A developer in your team has already configured the application built using an OCI SDK to authenticate using the instance principals provider. Which is NOT a necessary step to complete this set up?

- A. Create a dynamic group with matching rules to specify which instances you want to allow to make API calls against services.
- B. Generate Auth Tokens to enable instances in the dynamic group to authenticate with APIs.
- C. Create a policy granting permissions to the dynamic group to access services in your compartment or tenancy.
- D. Deploy the application and the SDK to all the instances that belong to the dynamic group.

Correct Answer: D



Reference: <https://blogs.oracle.com/cloud-infrastructure/announcing-instance-principals-for-identity-andaccessmanagement>

QUESTION 4

At the end of a terraform apply operation, what is the default output?

- A. nothing by default
- B. statistics about what was added, changed, and destroyed
- C. the entire state file
- D. statistics about what was added, changed, and destroyed, and the values of outputs

Correct Answer: D

QUESTION 5

You have an AI/ML application running on Oracle Cloud Infrastructure. You identified that the application needs GPU and at least 20Gbps Network throughput. The application is currently using a VM.Standard2.1 compute without any block storage attached to it.

Which two options allow you to get your required performance for your application? (Choose two.)

- A. Terminate the compute instance preserving the boot volume. Create a new compute instance using the BM.GPU2.2 shape using the boot volume preserved, but no block volume attached.
- B. Terminate the compute instance preserving the boot volume. Create a new compute instance using the VM.Standard2.2 shape using the boot volume preserved, but no block volume attached.
- C. Terminate the compute instance preserving the boot volume. Create a new compute instance using the VM.GPU3.4 shape using the boot volume preserved and use the NVMe devices to host your application.
- D. Terminate the compute instance preserving the boot volume. Create a new compute instance using the BM.HPC2.36 shape using the boot volume preserved and use the NVMe devices to host your application.
- E. Terminate the compute instance preserving the boot volume. Create a new compute instance using the BM.GPU2.2 shape using the boot volume preserved and attach a new block volume to host your application.

Correct Answer: DE

[Latest 1Z0-1072-22 Dumps](#)

[1Z0-1072-22 PDF Dumps](#)

[1Z0-1072-22 Practice Test](#)