



1Z0-1093-22^{Q&As}

Oracle Cloud Database Services 2022 Professional

Pass Oracle 1Z0-1093-22 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/1z0-1093-22.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers



**QUESTION 1**

You enable automatic backups on your Exadata Cloud@Customer.?

- A. database archivelog files
- B. database control files
- C. Transparent Data Encryption (TDE) keystore (wallet)
- D. server parameter file (SP file)

Correct Answer: C

QUESTION 2

How many DB systems must you provision before you can enable Oracle Data Guard for a virtual machine DB system database?

- A. It depends on how many standby databases you want for your primary database in the Oracle Data Guard configuration in Oracle Cloud Infrastructure.
- B. Three, first for the primary database, second for the standby database, and a third for the staging database in the Oracle Data Guard configuration.
- C. Two for both the primary and standby database, because a DB system with the database that you want to use as the standby must already exist before you enable Oracle Data Guard.
- D. One with the primary database, because a new DB system with the standby database is created and associated with the primary database when you enable Oracle Data Guard.

Correct Answer: D

QUESTION 3

You have been brought in to help a company with slow nightly batch processing running on their Exadata Cloud Service. You have determined the workload is CPU-bound during the batch window. Which command line tool can be used to script increase or decrease OCPUs?

- A. oci cli
- B. ocpucli
- C. exacli
- D. asmali

Correct Answer: A



QUESTION 4

When you created your development database on Exadata Cloud@Customer, you selected "None" for backup location during provisioning. You now need to enable automatic backups on the development database with a retention period of 45 days. Which action should you perform?

- A. No action can be taken, because a new backup location cannot be set after creation.
- B. Change the database backup location to local storage backups and set retention to 45 days.
- C. Change the database backup location to an NFS backup location with a 45-day retention period set.
- D. Change the database backup location to Object Storage with the default retention period set.

Correct Answer: A

QUESTION 5

In Exadata Cloud Service, you use Oracle Data Guard for disaster recovery. What is the minimum egress requirement needed to enable Data Guard between Exadata Cloud Services?

- A. Tcp traffic only for port 1521 and port 22
- B. Tcp traffic only for port 1521
- C. Tcp traffic only for port 22
- D. Open for all protocols

Correct Answer: B

[1Z0-1093-22 PDF Dumps](#)

[1Z0-1093-22 Study Guide](#)

[1Z0-1093-22 Braindumps](#)