



1Z0-1093-22^{Q&As}

Oracle Cloud Database Services 2022 Professional

Pass Oracle 1Z0-1093-22 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/1z0-1093-22.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers



**QUESTION 1**

Patching requires role permissions. However, since roles are not granted by default, which role needs to be added to someone patching the DB system?

- A. Let security admins manage vaults, keys, and secrets.
- B. Let database and fleet admins manage Autonomous Databases.
- C. Let database administrator\\s manage DB systems.
- D. Let users manage compute instance configurations, instance pools, and cluster networks.

Correct Answer: C

QUESTION 2

Which tool can be used to monitor a storage server in Exadata Cloud Service?

- A. OCI CLI
- B. ocpuccli
- C. exaccli
- D. dbaascli

Correct Answer: C

QUESTION 3

Your MySQL Database Service system is automatically backed up between midnight and 1 AM. What must you do to change the starting time to 4 AM?

- A. Use the mysqlbackup command to establish a 4 AM backup start time.
- B. Edit the OCI MySQL DB System Details to set the Enable Automatic Backups time to 4 AM.
- C. Update the Oracle Cloud Infrastructure (OCI) MySQL DB System Details page to specify the 4 AM backup window start time.
- D. From the Edit MySQL DB System Details page, select Backup Window and set the start time to 4 AM.

Correct Answer: D

QUESTION 4

What can you use to enable an on-premises Enterprise Manager instance to monitor Exadata Cloud Service in a private OCI subnet?



- A. virtual Cloud Network (VCN)
- B. Client subnet
- C. Virtual Network Interface Card (VNIC)
- D. FastConnect

Correct Answer: D

QUESTION 5

How many IP addresses do you need at a minimum for the client subnet when you plan to have four Exadata compute nodes on Exadata Cloud Service?

- A. 32
- B. 14
- C. 4
- D. 18
- E. 8

Correct Answer: D

((3 address * 2 nodes) +3 for SCANs +3 reserved in subnet)

[1Z0-1093-22 PDF Dumps](#)

[1Z0-1093-22 Practice Test](#)

[1Z0-1093-22 Study Guide](#)