



1Z0-133^{Q&As}

Oracle WebLogic Server 12c: Administration I

Pass Oracle 1Z0-133 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/1z0-133.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

You need to scale out an existing domain to include a new machine. You install WebLogic Server in the new machine. Which three steps are required to create the domain directory on the new machine? (Choose three.)

- A. Use the Configuration Wizard to clone the domain
- B. Run the pack tool on the administration server\\'s machine
- C. Transfer the installation certificate to the administration server\\'s machine
- D. Transfer the managed server template to the new machine
- E. Use the Administration Console to clone the administration server
- F. Run the unpack tool on the new machine

Correct Answer: BDF

Reference: <https://docs.oracle.com/middleware/1212/wls/WLDPU/commands.htm#WLDPU139>

QUESTION 2

You are using the Embedded LDAP that is supplied by Oracle WebLogic Server. Which three statements are true? (Choose three.)

- A. The Embedded LDAP can be accessed by an external LDAP viewer
- B. The Embedded LDAP cannot be used in a production environment
- C. The Embedded LDAP uses the file system to store WebLogic security provider data
- D. The Embedded LDAP uses the database to store WebLogic security provider data
- E. The Embedded LDAP can be used to store user, group, security roles and security policies for the WebLogic security providers

Correct Answer: ABC

QUESTION 3

Consider a multiple node domain. On the administration server\\'s node, you edit setDomainEnv.sh in the bin directory and add a new JAR file to the CLASSPATH. You stop and restart all three WebLogic Server in the domain. Upon investigation, you discover that only applications deployed to one WebLogic Server are able to access the JAR file code. How do you explain this?

- A. You must also set the domain attribute "CLASSPATH Discovery Enabled."
- B. Each machine that hosts WebLogic Servers has its own domain directories. The script must be modified there as well.



- C. Only the first server to receive the new configuration from the administration server gets the updated CLASSPATH
- D. The CLASSPATH is not for application code. It is for internal WebLogic Server code. So, only applications deployed to the administrative server can access code through the CLASSPATH

Correct Answer: B

QUESTION 4

Which three tasks can be performed by the Node Manager?

- A. Start a server
- B. Define a new server
- C. Host the Node Manager console.
- D. Automatically restart a failed server.
- E. Kill a failed application on a server.
- F. Kill a server process that did not shut down properly.

Correct Answer: ADE

QUESTION 5

Over time your server log files have increased in size to over 500 MB. Identify three techniques to help decrease the size of these log files. (Choose three.)

- A. Increase the severity level
- B. Redirect standard output to the log
- C. Increase the rotation time
- D. Create and use a custom log filter
- E. Decrease the rotation file size

Correct Answer: BCE

Reference: <https://docs.oracle.com/middleware/12213/wls/WLACH/pagehelp/Corecoreserverserverlogginggeneralttitle.html>

[1Z0-133 PDF Dumps](#)

[1Z0-133 VCE Dumps](#)

[1Z0-133 Study Guide](#)