



1Z0-160^{Q&As}

Oracle Database Cloud Service

Pass Oracle 1Z0-160 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/1z0-160.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

How would you stop Oracle REST Data Services (ORDS)?

- A. Disable the APEX application in the Oracle GlassFish Server Administration Console.
- B. Use the listener control tool (lsnrctl).
- C. Stop the APEX resource in Enterprise Manager.
- D. Use the ords_stopcommand.

Correct Answer: D

Explanation:

Stopping Oracle REST Data Services

1.
Connect as the opc user to the compute node.
2.
Start a root-user command shell: `$ sudo -s #`
3.
Stop ORDS: `# /u01/app/oracle/product/ords/ords stop` INFO: Stopping Oracle REST Data Services... INFO: Oracle REST Data Services stopped
4.
Exit the root-user command shell and close your connection to the compute node: `# exit $ exit`

Reference: <https://docs.oracle.com/en/cloud/paas/database-dbaas-cloud/csdbi/administer-ords.html>

QUESTION 2

A key pair is required to create a Database Deployment.

What can the key pair be used for?

- A. The key pair is used to start up, shut down, and manage EM Express availability.
- B. The keys are used to control the encryption that is used by Database Deployment: the first is for network encryption and the second is for database encryption.
- C. The keys replace password use. Database Deployment use only key pairs; password authentication is not enable for SSH default connections.
- D. Communication between instances in a Database Cloud Service account is controlled by network security rules and security lists.



Correct Answer: C

Explanation:

Before you create a Database Cloud Service instance you can choose to create a Secure Shell (SSH) public/private key pair. The SSH keys are used to facilitate secure access to the compute nodes that support your database deployments.

References: Using Oracle Database Cloud Service (February 2017), 1-7

<https://docs.oracle.com/en/cloud/paas/database-dbaas-cloud/csdbi/using-oracle-database-cloudservice.pdf>

QUESTION 3

Which three are ways to scale a Database as a Service (DBaaS) instance that is hosting three Oracle 12c databases?

- A. Add additional virtual network interfaces (VNICs) to the DBaaS instance.
- B. Increase the MEMORY_TARGET parameter value in each database instance that is running on the DBaaS instance.
- C. Increase the CPU_COUNT parameter value in each database instance that is running on the DBaaS instance.
- D. Increase the number of CPUs allocated to the DBaaS instance.
- E. Add storage to the DBaaS instance.
- F. Use the Oracle Database 12c In-Memory database option in each database instance that is running on the DBaaS instance.
- G. Increase the memory allocated to the DBaaS instance.

Correct Answer: DEG

QUESTION 4

Which two steps would you perform to restore and recover a database from the most recent backup?

- A. Disable the scheduled backup configuration.
- B. Disable the scheduled recovery configuration.
- C. Perform the restore with the dbaascli orec --args -latestcommand.
- D. Perform the restore with the dbaascli orec --args -lastcommand.
- E. Perform the restore with the dbaascli orec --args -stop -lastcommand.
- F. Perform the restore with the dbaascli orec --args -close -lastcommand.



Correct Answer: AC

Explanation:

A: Note: If some activity you want to perform requires you to temporarily disable regularly scheduled backups, you can do so by removing the scheduling information from the system-wide `/etc/crontab` file.

C: You can use the `dbaascli` utility to restore from the most recent backup and perform complete recovery on a database deployment hosting a single-instance database:

1.

Connect as the `opc` user to the compute node.

2.

Start a root-user command shell: `$ sudo -s #`

3.

Restore the most recent backup and perform complete recovery using the `orec` subcommand of the `dbaascli` utility:

```
# dbaascli orec --args -latest
```

The restore and recover process performs these steps:

Shuts down the database Extracts and restores configuration files Prepares for recovery Performs the recovery Restarts the database instance after recovery

1. Exit the root-user command shell: `# exit $`

References: Using Oracle Database Cloud Service (February 2017), page 6-23

<https://docs.oracle.com/en/cloud/paas/database-dbaas-cloud/csdbi/using-oracle-database-cloudservice.pdf>

QUESTION 5

You have an Oracle Database 11g on-premises database with encrypted tablespaces.

You want to migrate this database to the pre-created database of the Database as a Service (DBaaS) instance on Oracle Cloud.

Which two statements are true about this migration?

- A. The on-premises database platform must be of the same endianness as the DBaaS platform.
- B. You can use Full Transportable (TDB).
- C. You can use Data Pump TTS with the `ENCRYPTION_PASSWORD` parameter.
- D. You can use Data Pump TTS with the `ENCRYPTED_PASSWORD` parameter.
- E. Data is sent in clear when the `NETWORK_LINK` option is used.



Correct Answer: AC

Explanation:

The Data Pump Transportable Tablespace method can be used only if the on-premises platform is little endian, and the database character sets of your on-premises database and Oracle Database Cloud Service database are compatible.

Note: If the job you are attaching to was initially started using an encryption password, then when you attach to the job you must again enter the ENCRYPTION_PASSWORD parameter on the command line to re-specify that password. The only exception to this is if the job was initially started with the ENCRYPTION=ENCRYPTED_COLUMNS_ONLY parameter. In that case, the encryption password is not needed when attaching to the job.

References: <https://docs.oracle.com/en/cloud/paas/database-dbaas-cloud/csdbi/mig-11g-11g.html>

[1Z0-160 VCE Dumps](#)

[1Z0-160 Study Guide](#)

[1Z0-160 Exam Questions](#)