



1Z0-338^{Q&As}

Oracle Exadata Database Machine and Cloud Service 2017
Implementation Essentials

Pass Oracle 1Z0-338 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/1z0-338.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers



**QUESTION 1**

To patch an Exadata cloud instance, you need to run the `exadbcpatchmulti` command as root from the compute node. `exadbcpatchmulti` uses the `exadbcpatch.cfg` file to provide information about the location of files related to patching operations as well as additional parameters related to these operations.

What is the purpose of the `sw_bkup_needed=1` parameter that can be set in the `exadbcpatch.cfg` file?

- A. creates a backup of the patch in case of an error in the patching routine
- B. performs a backup of each Oracle home directory before a patch is applied
- C. forces the software to create a backup of the `exadbpatch.cfg` file
- D. adds a dialog box that prompts for a backup before the patch can be applied
- E. creates a backup of the Oracle database data files

Correct Answer: E

QUESTION 2

Which two options would you use to allow direct path loads to run in parallel on your Exadata platform? (Choose two.)

- A. creating the required environment by using Smart Scan parallelization
- B. setting the initialization parameter `PARALLEL_ENABLED` to `TRUE` to enable parallel direct path loads
- C. setting the `PARALLEL` clause on both the external table and the table where you are loading the data
- D. adding the `PARALLEL` hint to the `CTAS` or `IAS` statement
- E. setting the `PARALLEL_FORCE_LOCAL` parameter to `TRUE`

Correct Answer: CD

QUESTION 3

Identify the two choices a customer must make that impact diskgroup creation when the customer wants to have only a DATA diskgroup and a RECO diskgroup? (Choose two.)

- A. the number of databases that will run on the cluster
- B. the OS that will be run
- C. the level of redundancy required



D. the ratio to use to split the available and usable storage between DATA and RECO

Correct Answer: AC

QUESTION 4

You notice that a database node has hung, so you open a Service Request via My Oracle Support. What diagnostic output will you send to My Oracle Support by default?

- A. pkginfo
- B. oswatcher
- C. AWR
- D. v\$sessionoutput
- E. list of database users

Correct Answer: C

QUESTION 5

Consider the following software changes that are performed manually on a Linux server:

1.
Changes for Linux kernel firewall configuration
2.
Changes for custom performance monitoring tools
3.
Changes for security scan tools
4.
Changes for Linux system performance optimization

Which of the software changes listed are permitted on Exadata Storage Servers?

- A. only 3
- B. 1, 2, 3, and 4
- C. none



D. only 2

E. only 1 and 2

F. only 2 and 3

Correct Answer: E

[Latest 1Z0-338 Dumps](#)

[1Z0-338 Exam Questions](#)

[1Z0-338 Braindumps](#)