



# 1Z0-404<sup>Q&As</sup>

Oracle Communications Session Border Controller 7 Basic Implementation Essentials

**Pass Oracle 1Z0-404 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/1z0-404.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

How does the SIP registrar server maintain the registered user's information in its database?

- A. by querying a DNS server
- B. by querying an ENUM server
- C. by creating a registration cache entry, which is an association between a layer 3 IP address and the User Agent (UA) Via address
- D. by creating a location record, which is an association between the Call-ID and the User Agent (UA) Contact address
- E. by creating a binding, which is an association between a globally unique SIP URI and the User Agent (UA) Contact address

Correct Answer: D

---

**QUESTION 2**

You are configuring access rules in a Session Border Controller Peering architecture.

Which two configuration steps are required to allow access only from User Agents (UAs) in a specific IP subnet? (Choose two.)

- A. Navigate to the sip-port configuration element and set the allow-anonymous parameter to realm-prefix.
- B. Navigate to the session-agent configuration element and set the ip-address parameter to the IP address of your trusted User Agent (UA).
- C. Navigate to the sip-port configuration element and set the allow-anonymous parameter to agents-only.
- D. Navigate to the sip-port configuration element and set the allow-anonymous parameter to all.
- E. Navigate to the realm-config configuration element and set the addr-prefix parameter to the IP subnet of your trusted User Agents (UAs).

Correct Answer: BC

---

**QUESTION 3**

You are examining a SIP packet. There is no final response to the ACK method.

What is the reason for this?

- A. The ACK method was defined only in RFC 2543 and it has been deprecated.
- B. The ACK method is part of the INVITE transaction.
- C. The ACK method is an exception in RFC 3261.



- D. The ACK method is an optional SIP method.
- E. The ACK method was replaced with the CANCEL method in RFC 3261.

Correct Answer: B

---

#### QUESTION 4

Which two functionalities are provided by Session Border Controllers? (Choose two.)

- A. they span multiple networks and provide edge proxy functions between them
- B. they are session-aware devices that enable control of end-to-end interactive communications across PSTN network borders
- C. they enable premium interactive services across IP network borders by complementing existing edge routers
- D. they provide routing functions for IP, TCP, and SMTP using application parameters.
- E. they replace typical edge routers and firewalls in order to provide a unified network border for signaling and media control

Correct Answer: AC

---

#### QUESTION 5

Where are passwords and licensing information stored?

- A. Non-Volatile Random Access Memory (NVRAM)
- B. Content Addressable Memory (CAM)
- C. RAM memory
- D. Synchronous Dynamic Random Access Memory (SDRAM)
- E. Boot Flash

Correct Answer: A

[1Z0-404 VCE Dumps](#)

[1Z0-404 Practice Test](#)

[1Z0-404 Exam Questions](#)