



1Z0-404^{Q&As}

Oracle Communications Session Border Controller 7 Basic Implementation Essentials

Pass Oracle 1Z0-404 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/1z0-404.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Which action triggers the 180 Ringing response in a User Agent Client (UAC)?

- A. the subscription to a SIP presence service
- B. the generation of a remote ring-back tone
- C. the generation of a local ring-back tone
- D. the establishment of a SIP session
- E. the termination of a SIP session

Correct Answer: C

QUESTION 2

Upon issuing the done command, you get an Error 409.

Which two options explain this error? (Choose two.)

- A. You are trying to create an element with a unique identifier that already exists.
- B. The configuration element you are creating is corrupted.
- C. The element you are trying to save does not exist.
- D. There is an internal server error.
- E. You are trying to create a second instance of a single-instance configuration element.

Correct Answer: AE

QUESTION 3

After configuring Header Manipulation Rules (HMRs) for topology hiding, your subsequent testing shows that the manipulation is not taking effect.

Identify two causes for this (Choose two.)

- A. You have not configured the out-manipulationid parameter of the sip-interface configuration element.
- B. You have not enabled policy-based realm-bridging.
- C. The value of the name parameter in the header-rule configuration element is different than the value of the out-manipulationid parameter in the sip-interface configuration element.
- D. The value of the match-val-type parameter is not written correctly.
- E. The home-proxy-address value does not match the \$LOCAL_IP value in the new-value parameter.



Correct Answer: AE

QUESTION 4

The Session Border Controller ACLI is structured in a way that separates configuration of layers 3,4, and

5. This allows the system administrator to link each configuration together as needed for signaling and media routing purposes.

Which two options are valid to link signaling and media interfaces to a realm? (Choose two.)

- A. Navigate to the iwf-config configuration element and set the media-interface-id parameter to the realm name.
- B. Navigate to the account-config configuration element and set the realm-id parameter to the realm name.
- C. Navigate to the network-interface configuration element and set the sip-interface-id parameter to the realm name.
- D. Navigate to the steering-pool configuration element and set the realm-id parameter to the realm name.
- E. Navigate to the sip-interface configuration element and set the realm-id parameter to the realm name.

Correct Answer: AB

QUESTION 5

Which three statements are true about SIP, per RFC 326? (Choose three.)

- A. SIP does not provide for resource reservation.
- B. SIP defines native methods for negotiating media streams.
- C. A SIP transaction occurs between a client and a server.
- D. To set up a voice session, SIP relies on protocols such as SDP and RTP.
- E. SIP signaling can only be used for voice over IP thereby limiting its use as a general signaling protocol.

Correct Answer: CDE

[Latest 1Z0-404 Dumps](#)

[1Z0-404 PDF Dumps](#)

[1Z0-404 Braindumps](#)