



1Z0-404^{Q&As}

Oracle Communications Session Border Controller 7 Basic Implementation Essentials

Pass Oracle 1Z0-404 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/1z0-404.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

Which statement is true about Session Border Controller architectures and realm bridging?

- A. The Hosted NAT Traversal (HNT) architecture focuses on the border point between two different service provider networks, both in the home realm.
- B. The Hosted IP architecture focuses on the border point between one enterprise network realm and one service provider network realm.
- C. The Access-backbone architecture focuses on the border point between two backbone realms.
- D. The Peering architecture focuses on the border point between two different service provider networks and their realms.
- E. The Gateway architecture Focuses on the border point between one enterprise network realm and one service provider network realm.

Correct Answer: B

QUESTION 2

Which action triggers the 180 Ringing response in a User Agent Client (UAC)?

- A. the subscription to a SIP presence service
- B. the generation of a remote ring-back tone
- C. the generation of a local ring-back tone
- D. the establishment of a SIP session
- E. the termination of a SIP session

Correct Answer: C

QUESTION 3

How does the SIP registrar server maintain the registered user's information in its database?

- A. by querying a DNS server
- B. by querying an ENUM server
- C. by creating a registration cache entry, which is an association between a layer 3 IP address and the User Agent (UA) Via address
- D. by creating a location record, which is an association between the Call-ID and the User Agent (UA) Contact address
- E. by creating a binding, which is an association between a globally unique SIP URI and the User Agent (UA) Contact address



Correct Answer: D

QUESTION 4

You want to prevent the Session Border Controller from generating a unique Call-ID and from modifying the dialog tags.

How would you accomplish this?

- A. Navigate to the sip-interface configuration element and set the dialog-transparency parameter to disabled.
- B. Navigate to the sip-config configuration element and set the dialog-mapping parameter to disabled.
- C. Navigate to the sip-config configuration element and set the call-id-transparency parameter to disabled.
- D. Navigate to the sip-config configuration element and set the dialog-transparency parameter to disabled.
- E. Navigate to the sip-config configuration element and set the dialog-transparency parameter to enabled.

Correct Answer: E

Reference <http://luccisun.webfactional.com/sbc/SBC/NNSBCNOTE.html>

QUESTION 5

Which SIP headers in an incoming SIP message to the Session Border Controller are used by a local-policy configuration element for routing?

- A. From and To headers
- B. From header and Request-URI
- C. Call-Id header
- D. Contact header
- E. Via and To headers.

Correct Answer: D

[1Z0-404 PDF Dumps](#)

[1Z0-404 VCE Dumps](#)

[1Z0-404 Practice Test](#)