



1Z0-419^{Q&As}

Implementation Application Development Framework

Pass Oracle 1Z0-419 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/1z0-419.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers



**QUESTION 1**

Consider a bounded task flow input parameter called `employeeId` of type `oracle.jbo.domain.Number`. When defining the parameter in the bounded task flow, if you do not define a value (destination) for the parameter, where does it get written to? (Choose the best answer.)

- A. `#{employeeId}`
- B. `#{employee.employeeId}`
- C. `#{pageFlowScope employeeId}`
- D. `#{pageFlowScope employee employeeId}`
- E. `#{backingBeanScope employeeId}`
- F. `#{backingBeanScope employee.employeeId}`

Correct Answer: C

QUESTION 2

Your Business Components service has a view object (`EmployeesView`) with an attribute called `Surname`. `Surname` has the Tooltip Text control hint set to "This is the surname field". Where is the actual string for the tooltip defined? (Choose the best answer)

- A. in the view object definition file, for example, `EmployeesView.xml`
- B. in a string bundle file called `ModelBundle.properties`
- C. in `ViewObjectImpl.java` for the `EmployeesView` view object
- D. in the `adf-config.xml` file
- E. in a property set file with the default name `PropertySet.xml`

Correct Answer: A

QUESTION 3

You create a view object `CustomersVO` based on an entity object `CustomerEO`. How would you declaratively change the result set returned from the view object:

- A. Add `ORDER BY CustomerName` to the query in `CustomersVO`.
- B. Add `ORDER BY CustomerName` to the query in `CustomerEO`.
- C. Change the `CustomersVO` query mode to "Expert" and define the query using the `ORDER BY` clause as required.
- D. Re-order the attributes in the `CustomersVO` editor such that the `CustomerName` attribute is listed first.



E. Create a view criteria on CustomersVO to order by the CustomerName attribute.

Correct Answer: C

QUESTION 4

Consider a case where a view does not load with the expected data. Where would you set a breakpoint to debug the issue? (Choose the best answer.)

- A. the executable binding for the iterator on the pagedef for the view
- B. a router activity that is used to determine where to send the user after selecting a row in the view
- C. the partialTriggers property of the data bound component in the view
- D. the value binding for the iterator on the pagedef for the view

Correct Answer: D

QUESTION 5

You create a new ADF Faces page called emp.jsx and bind some data controls to that page. You notice a file called empPageDef.xml. What is this file for? (Choose best Answer)

- A. it is the page definition that contains the XML representation of the page layout and the components on that page.
- B. it is a template file into which you can write any managed bean code.
- C. it is the page template definition file that represents the chosen quick start layout.
- D. it is the file that contains the definition of the bindings to your data-bound components.
- E. it defines the binding context for all pages in your application.

Correct Answer: D

[1Z0-419 PDF Dumps](#)

[1Z0-419 Practice Test](#)

[1Z0-419 Study Guide](#)