



1Z0-419^{Q&As}

Implementation Application Development Framework

Pass Oracle 1Z0-419 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/1z0-419.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

You have two entities, ItemEO and ProductEO. ItemEO contains the OrderId, ItemId, ProductId, Price, and Quantity attributes. ProductEO contains the Id, ProductName, and ListPrice attributes. You need to return rows as shown in the table OrderId

ItemId	ProductId	ProductName
--------	-----------	-------------

34321		
-------	--	--

	38997	Downhill ski poles
--	-------	--------------------

30315		
-------	--	--

Swim goggles 31876 Baseball mitt How would you create a view object to encapsulate these rows? (Choose the best answer)

- A. Create a view object based on the ItemEO entity and add ProductEO as a reference entity.
- B. Create a view object based on the ItemEO entity and modify the generated query to include SELECT ProductEO NAME. ProductEOJD, FROM S_PRODUCT ProductEO.
- C. Create a view object based on the ItemEO entity and modify the WHERE clause to include ItemEO PRODUCTJD = ProductEO ID
- D. Create a view object based on the ItemEO entity and create a view criteria to add ItemEO PRODUCTJD - :productld. Define productld as a bind variable to be passed in by the UI
- E. Create a view object based on the ItemEO entity and change the query mode to Expert Define the query as SELECT Item ORDJD, Item ITEMJD, Item.PRODUCTJD, Product.NAME, FROM SJTEM Item JOIN S_PRODUCT Product ON Item.PRODUCT_ID=Productld.

Correct Answer: E

QUESTION 2

A backing bean for a page must hold its value over multiple requests for the current user. Which three bean scopes are applicable? (Choose three.)

- A. requestScope
- B. backingBeanScope
- C. viewScope
- D. pageFlowScope
- E. sessionScope
- F. applicationScope

Correct Answer: CDE



QUESTION 3


What should be in a managed bean, rather than a backing bean? (Choose the best answer.)

- A. code that manipulates the color of a text field on a JSF page
- B. data that is used to decide if a field is shown as mandatory or not
- C. data that is used on another page in the task flow
- D. code that opens a pop-up in the page

Correct Answer: C

QUESTION 4

View the Exhibit



Which two modifications would you make in the task flow so that RegisterRouter displays the appropriate page depending on the user type and subsequently displays the confirmation page? (Choose two.)

- A. Define the isCustomer outcome in RegisterRouter
- B. Create a global control flow rule pointing to CustomerPage
- C. Create a control flow rule from EmployeePage to Confirmation
- D. Change the default activity from Register to RegisterRouter.
- E. Set the isEmployee outcome to #{FALSE}.

Correct Answer: AB

QUESTION 5



Consider a development organization divided into two teams, one developing ADF Business Components and related methods, and one developing the view and controller layers. What two steps would the Business Components team perform to deliver the results of their work to the other team? (Choose two.)

- A. Share the root ApplicationModuleImpl file on the file system or other shared location.
- B. Create an ADF Library JAR file for the model project
- C. Create a path to the ADF Library JAR file in Tools > Manage Libraries
- D. Add the ADF Library JAR to the ViewController project
- E. Share the ADF Library JAR file on the file system or other shared location

Correct Answer: BD

[1Z0-419 VCE Dumps](#)

[1Z0-419 Study Guide](#)

[1Z0-419 Exam Questions](#)