



1Z0-485^{Q&As}

Oracle Exadata Database Machine

Pass Oracle 1Z0-485 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/1z0-485.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

If your customer wants to save storage space by compressing tables that are read frequently but rarely updated, which compression technique would you recommend?

- A. OLTP
- B. ARCHIVE HIGH
- C. QUERY HIGH
- D. ARCHIVE LOW
- E. BASIC

Correct Answer: B

QUESTION 2

Which statement is true about Oracle compression?

- A. A non-partitioned table can use Advanced Compression and Hybrid Columnar Compression concurrently.
- B. A partitioned table can define the use of Advanced Compression or Hybrid Columnar Compression for each partition.
- C. Hybrid Columnar Compression can be defined for a single column.
- D. A partitioned table can use only Advanced Compression or only Hybrid Columnar Compression.

Correct Answer: CD

QUESTION 3

Your customer would like to use DBFS in their Exadata environment. They are asking you for the key characteristic of DBFS on Exadata.

- A. DBFS in an Exadata environment is faster than an NFS mount system because of the Smart Scan performance gains.
- B. Tens of thousands of files are the perfect use case for DBFS on Exadata. 100% Real QandAs | 100% Real Pass
- C. DBFS offers tremendous I/O bandwidth.

Correct Answer: B

QUESTION 4

Which two statements are true about enabling write-back flash cache?



- A. When enabling write-back flash cache in a non rolling manner, it is important to ensure that asmdeactivationoutcome is set to YES and asmModestatus is set to ONLINE for all grid disks.
- B. Before using write-back flash cache, you need to verify the minimum required versions.
- C. Before write back-flash cache is enabled, you need to drop the Flash Cache first.
- D. The setting flashCacheMode should be set to writeback by updating cellinit.ora and restarting cellsvr.
- E. When enabling write-back flash cache in a rolling manner, dcli should be used to inactivate the grid disks on all cells first.

Correct Answer: BC

QUESTION 5

Which CellCLI command is used to conclude that a storage server can be taken offline without impacting database availability?

- A. LIST GRIDDISK ATTRIBUTES name, asmDeactivationOutcome;
- B. LIST CELLDISK ATTRIBUTES name, raidLevel;
- C. LIST CELL ATTRIBUTES cellsvrStatus, flashCacheMode;
- D. LIST CELLDISK ATTRIBUTES name, raidLevel, asmModeStatus;
- E. LIST GRIDDISK ATTRIBUTES name, status;

Correct Answer: A

[Latest 1Z0-485 Dumps](#)

[1Z0-485 PDF Dumps](#)

[1Z0-485 Study Guide](#)