



1Z0-532^{Q&As}

Oracle Hyperion Financial Management 11 Essentials

Pass Oracle 1Z0-532 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/1z0-532.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

Which is the rule function used to notify the following year that a consolidation is needed due to recalculation of the current year?

- A. Exp
- B. ImpactStatus
- C. OpenDataUnit
- D. A rule function is not used; input subroutine is used.

Correct Answer: B

QUESTION 2

Given the following syntax in a business rule:

```
Sub Calculate()  
Hs.Exp "A#DiffCash = " & Difference("A#Cash", "YTD")  
End Sub  
FUNCTION DIFFERENCE(strPOV, strVIEW)  
IF strVIEW = "" THEN  
strVIEW = HS.SCENARIO.DEFAULTVIEW ("")  
END IF  
strPOV = UCASE(strPOV)  
strVIEW = UCASE(strVIEW)  
IF strVIEW = "PERIODIC" THEN  
DIFFERENCE = ("&strPOV &"-"& strPOV & ".P#PRIOR" &") "  
ELSEIF strVIEW = "YTD" THEN  
DIFFERENCE = ("&strPOV &"-"& strPOV & ".Y#PRIOR.P#LAST" &") "  
ELSE  
EXIT FUNCTION  
END IF  
END FUNCTION
```

Identify the subroutine.

- A. Calculate ()
- B. strview
- C. Hs.Exp
- D. DIFFERENCE
- E. Hs.SCENARIO.DEFAULTVIEW(" ")



Correct Answer: D

Reference: https://docs.oracle.com/cd/E57185_01/HFMAD/ch12s01s03s04.html

QUESTION 3

Custom dimensions may be used to perform

- A. Cash Flows
- B. Roll forwards
- C. Historical Overrides
- D. B and C
- E. A, B, and C

Correct Answer: E

QUESTION 4

In which four ways can a user access FR reports? (Choose four.)

- A. In the Workspace in HTML mode
- B. In the Workspace in PDF mode
- C. Over the Web outside of the Workspace in HTML mode
- D. In Smart View using the BI+ Connection
- E. In PDF format from an email

Correct Answer: ABDE

QUESTION 5

Your source data file has values for 12 months across the columns. What is the best way to load this file into FM with native load functionality?

- A. Split the file into 12 different files, each with a single month. Set the POV for the Period dimension = specific month.
- B. Define a range for periods in the POV with the following syntax: !Period = January.. December.
- C. Make sure the column header has the month label; FM will load the column to the correct month.
- D. List the months in the POV with the following syntax: ! Period = January-December.
- E. List the months in the POV with the following syntax: ! Period = January, December.



Correct Answer: B

[1Z0-532 VCE Dumps](#)

[1Z0-532 Exam Questions](#)

[1Z0-532 Braindumps](#)