



1Z0-632^{Q&As}

PeopleSoft PeopleTools 8.5x Implementation Essentials

Pass Oracle 1Z0-632 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/1z0-632.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Consider the following three scenarios and six tools or techniques. For each scenario, identify the most appropriate tool or technique for updating the portal registry.

Scenarios:

- S1. Create new content reference (CREF) definitions for three new fluid
- S2. Update node and security settings for 10 menu folders containing c
- S3. Create tile definitions from three existing classic components.

Tools:

- T1. Programmatically with PeopleCode
- T2. Using the CREF Wizard
- T3. Using a component interface
- T4. Manually in the Structure and Content component
- T5. Using the Registration Wizard
- T6. Programmatically with SQR

- A. S1-T2, S2-T1, S3-T3
- B. S1-T2, S2-T6, S3-T4
- C. S1-T5, S2-T4, S3-T3
- D. S1-T5, S2-T3, S3-T4
- E. S1-T5, S2-T1, S3-T4

Correct Answer: D

QUESTION 2

This exhibit shows the placement of fields on your fluid page definition in Application Designer.

The screenshot shows a fluid page definition in Application Designer. The fields are arranged as follows: 'Database Name: NNNNNN:' is at the top left. Below it is 'People Tools Release'. To the right of 'People Tools Release' is a dropdown menu. Below 'People Tools Release' is 'Description'. To the right of 'Description' is a checkbox labeled 'Available'. Below 'Description' and 'Available' is a text area labeled 'Comments'.

What will you need to do so that these fields display in an orderly fashion for the end user in the browser?

- A. Set the Input Type property on the Fluid tab for each page control to reflect the field type
- B. Set the Alignment property on the Record tab for each page control to Auto



- C. You don't need to do anything because default cascading style sheet (CSS) styling arranges the page controls as needed for the end user
- D. Select Enable JavaScript on the Fluid tab of the Page Properties dialog box
- E. Align them manually, using drag and drop, in Application Designer

Correct Answer: B

QUESTION 3

You are asked to create a new field definition with a field label that includes a line break for Curriculum Developer. How should you enter the label?

- A. Curriculum/Developer
- B. Curriculum\Developer
- C. Curriculum/nDeveloper
- D. Curriculum
Developer
- E. Curriculum\nDeveloper

Correct Answer: D

QUESTION 4

What are the required steps for using a PeopleCode application class? Arrange them in the correct order.

1. Declare an object of the application class.
2. Import the application class.
3. Invoke methods or use properties.
4. Instantiate the object.
5. Initialize the object.

- A. 1, 2, 5, 3
- B. 1, 2, 4, 5, 3
- C. 2, 1, 4, 3
- D. 1, 2, 4, 3
- E. 2, 1, 4, 5, 3

Correct Answer: E

Reference: https://docs.oracle.com/cd/E13292_01/pt849pbr0/eng/psbooks/tpcr/htm/tpcr07.htm



QUESTION 5

1	<pre>method OnNotify /+ &msg as Message +/ /+ Extends/implements PS_PT:Integration:INotificationHandler.OnNotify +/ &msg.ExecuteEdits(%Edit_PromptTable); end-method;</pre>
2	<pre>Local number &total, &spent, &to_go; &total = PSU_TASK_TBL.EFFORT_TOTAL; Declare Function Calc_Effort_ToGo PeopleCode DERIVED_TRAIN.EFFORT_TO_GO File Calc_Effort_ToGo(&total, &spent, &to_go);</pre>
3	<pre>import PSU:Math; Local PSU:Math &m = create PSU:Math(); Local number &answer; &answer = &m.Multiply(4, 5);</pre>
4	<pre>class Feed property string FeedFormat get; private instance string &feedFormat_inst; end-class; get FeedFormat /+ Returns String +/ Return &feedFormat_inst; end-get; set FeedFormat /+ &NewValue as String +/ &feedFormat_inst = &NewValue; end-set;</pre>
5	<pre>class Math method Math(); method Multiply(&x As number, &y As number) Returns number; method Add(&x As number, &y As number) Returns number; protected method Communicate(&text As string); end-class;</pre>

Which two PeopleCode excerpts contain syntax errors? (Choose two.)

- A. 1
- B. 2
- C. 3
- D. 4
- E. 5

Correct Answer: DE

[1Z0-632 Practice Test](#)

[1Z0-632 Study Guide](#)

[1Z0-632 Braindumps](#)