



1Z0-808^{Q&As}

Java SE 8 Programmer I

Pass Oracle 1Z0-808 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/1z0-808.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

Given the code fragment: What is the result?

```
1. public class Whizlabs {  
2.     public static void main(String[] args) {  
3.         int sum = 0;  
4.  
5.         for(int x = 0;x<=10;x++)  
6.             sum += x;  
7.         System.out.print("Sum for 0 to " + x);  
8.         System.out.println(" = " + sum);  
9.     }  
10. }
```

- A. Sum is 600
- B. Compilation fails at line n1.
- C. Compilation fails at line n2.
- D. A ClassCastException is thrown at line n1.
- E. A ClassCastException is thrown at line n2.

Correct Answer: C

QUESTION 2

Examine: Which statement is true?

Result

CPU Time: 0.14 sec(s), Memory: 32028 kilobyte(s)

12

- A. The program prints m1.Accessed.
- B. The program fails compile due to the unhandled E1 exception.



C. The program prints m2.Accessed.

D. The program fails to compile due to the unhandled E2 exception.

Correct Answer: B

Explanation:

```
int a = 3;
int b = 2;
int c = 1;
int r1 = a * b / c + 1;
int r2 = a / b * c + 1;
int r3 = a * (b / (c + 1));
System.out.println(r1 + " : " + r2 + " : " + r3);
```

QUESTION 3

Given the class definitions:

```
class C1 {}
```

```
class C2 extends C1 {}
```

```
class C3 extends C2 {}
```

and the code fragment:

16.

```
C1 obj1 = (C1) new C2();
```

17.

```
C2 obj2 = (C2) new C3();
```

18.

```
C2 obj3 = (C2) new C1();
```

19.

```
C3 obj4 = (C3) obj2;
```

Which line throws ClassCastException?

A. line 18

B. line 17

C. line 19



D. line 16

Correct Answer: A

C1 cannot access the methods of class C2 because the superclass cannot inherit the methods of the child class.

QUESTION 4

Given:

```
public static void main(String[] args) {
    String names[] = {"Thomas", "Peter", "Joseph"};
    String pwd[] = new String[3];
    int idx = 0;
    try {
        for (String n : names) {
            pwd[idx] = n.substring(2, 6);
            System.out.println(pwd[idx]);
            idx++;
        }
    }
    catch (Exception e) {
        System.out.println("Invalid Name");
    }
}
```

What is the result?

A. Welcome Visit Count:0 Welcome Visit Count: 1

B. Compilation fails at line n2.

C. Compilation fails at line n1.

D. Welcome Visit Count:0 Welcome Visit Count: 0

Correct Answer: C

Result

CPU Time: 0.15 sec(s), Memory: 29904 kilobyte(s)

```
omas
Invalid Name
```



QUESTION 5

Which of the following can fill in the blank in this code to make it compile? (Select 2 options.)

```
1. public void method() ____ Exception {  
2.     _____ Exception();  
3. }
```

- A. On line 1, fill in throws
- B. On line 1, fill in throws new
- C. On line 2, fill in throw new
- D. On line 2, fill in throws
- E. On line 2, fill in throws new

Correct Answer: AC

Option A and C are the correct answer.

In a method declaration, the keyword throws is used. So here at line 1 we have to use option A.

To actually throw an exception, the keyword throw is used and a new exception is created, so at line 2 we have to use throw and new keywords, which is option C. Finally it will look like;

```
public void method() throws Exception {  
    throw new Exception();  
}
```

REFERENCE : <https://docs.oracle.com/javase/tutorial/essential/io/fileOps.html#exception> The correct answer is: On line 1, fill in throws. On line 2, fill in throw new

[1Z0-808 PDF Dumps](#)

[1Z0-808 Practice Test](#)

[1Z0-808 Study Guide](#)