



# 1Z0-809<sup>Q&As</sup>

Java SE 8 Programmer II

**Pass Oracle 1Z0-809 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/1z0-809.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

Given the code fragment:

```
List<String> nums = Arrays.asList("EE", "SE");
String ans = nums
    .parallelStream()
    .reduce("Java ", (a, b) -> a.concat(b));
System.out.print(ans);
```

What is the result?

- A. Java EEJava EESE
- B. Java EESE
- C. The program prints either: Java EEJava SE or Java SEJava EE
- D. Java EEJava SE

Correct Answer: D

---

**QUESTION 2**

Given the code fragment:

```
//line n1
System.out.println(iP);
```

Which code fragment, when inserted at line n1, enables the code to print /First.txt?

- A. Path iP = new Paths ("/First.txt");
- B. Path iP = Paths.toPath ("/First.txt");
- C. Path iP = new Path ("/First.txt");
- D. Path iP = Paths.get ("/", "First.txt");

Correct Answer: D

---

**QUESTION 3**

Given the code fragment:

```
public class Foo {

public static void main (String [ ] args) {
```



```
Map unsortMap = new HashMap ( );
unsortMap.put (10, "z");
unsortMap.put (5, "b");
unsortMap.put (1, "d");
unsortMap.put (7, "e");
unsortMap.put (50, "j");

Map treeMap = new TreeMap (new
Comparator ( ) {
@Override public int compare (Integer o1, Integer o2) {return o2.compareTo (o2); } });
treeMap.putAll (unsortMap);
for (Map.Entry entry : treeMap.entrySet ( ) ) {
System.out.print (entry.getValue ( ) + " ");
}
}
}
```

What is the result?

- A. A compilation error occurs.
- B. d b e z j
- C. j z e b d
- D. z b d e j

Correct Answer: D

---

#### QUESTION 4

Given:

```
class UserException extends Exception { }
```

```
class AgeOutOfLimitException extends UserException { }
```

and the code fragment:

```
class App {
```

```
public void doRegister(String name, int age)
```



```
throws UserException, AgeOutOfLimitException {  
    if (name.length () < 60) {  
        throw new AgeOutOfLimitException ();  
    } else {  
        System.out.println("User is registered.");  
    }  
}  
  
public static void main(String[] args) throws UserException {  
    App t = new App ();  
    A. doRegister("Mathew", 60); } } What is the result?
```

Correct Answer: C

---

### QUESTION 5

Which statement is true about the single abstract method of the java.util.function.Function interface?

A. It accepts one argument and returns void.

B. It accepts one argument and returns boolean.

C. It accepts one argument and always produces a result of the same type as the argument.

D. It accepts an argument and produces a result of any data type.

Correct Answer: D

[1Z0-809 VCE Dumps](#)

[1Z0-809 Practice Test](#)

[1Z0-809 Study Guide](#)