1Z0-809^{Q&As}

Java SE 8 Programmer II

Pass Oracle 1Z0-809 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass4itsure.com/1z0-809.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle Official Exam Center

QUESTION 1

Given the definition of the Emp class:

public class Emp

private String eName;

private Integer eAge;

Emp(String eN, Integer eA) {

this.eName = eN;

this.eAge = eA;

}

public Integer getEAge () {return eAge;}

public String getEName () {return eName;}

}

and code fragment:

Listli = Arrays.asList(new Emp("Sam", 20), New Emp("John", 60), New Emp("Jim", 51));

Predicate agVal = s -> s.getEAge() > 50; //line n1

li = li.stream().filter(agVal).collect(Collectors.toList());

Stream names = li.stream()map.(Emp::getEName); //line n2

names.forEach(n -> System.out.print(n + " "));

What is the result?

A. Sam John Jim

B. John Jim

C. A compilation error occurs at line n1.

D. A compilation error occurs at line n2.

Correct Answer: B

QUESTION 2

Given the code fragment:

Path p1 = Paths.get("/Pics/MyPic.jpeg"); System.out.println (p1.getNameCount() + ":" + p1.getName(1) + ":" +

p1.getFileName());

Assume that the Pics directory does NOT exist. What is the result?

A. An exception is thrown at run time.

B. 2:MyPic.jpeg: MyPic.jpeg

C. 1:Pics:/Pics/ MyPic.jpeg

D. 2:Pics: MyPic.jpeg

Correct Answer: B

QUESTION 3

Given the code fragment:

BiFunction val = (t1, t2) -> t1 + t2; //line n1 System.out.println(val.apply(10, 10.5));

What is the result?

A. 20

B. 20.5

C. A compilation error occurs at line n1.

D. A compilation error occurs at line n2.

Correct Answer: C

QUESTION 4

Which statement is true about the DriverManager class?

A. It returns an instance of Connection.

B. it executes SQL statements against the database.

C. It only queries metadata of the database.

D. it is written by different vendors for their specific database.

Correct Answer: A

The DriverManager returns an instance of Doctrine\DBAL\Connection which is a wrapper around the underlying driver connection (which is often a PDO instance). Reference: https://www.doctrine-project.org/projects/doctrine-dbal/en/2.8/reference/configuration.html

QUESTION 5

Given:

```
public class Foo<K, V> {
    private K key;
    private V value;

    public Foo(K key, V value) { this.key = key; this.value = value; }

    public static <T> Foo<T, T> twice(T value) { return new Foo<T, T>(value, value); }

    public K getKey() { return key; }
    public V getValue() { return value; }
}
```

Which option fails?

A. Foo mark = new Foo ("Steve", 100);

B. Foo pair = Foo.twice ("Hello World!");

C. Foo percentage = new Foo("Steve", 100);

D. Foo grade = new Foo ("John", "A");

Correct Answer: C