



1Z0-809^{Q&As}

Java SE 8 Programmer II

Pass Oracle 1Z0-809 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/1z0-809.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

Given the code fragment:

```
ZonedDateTime depart = ZonedDateTime.of(2015, 1, 15, 3, 0, 0, 0, ZoneID.of("UTC-7")); ZonedDateTime arrive =  
ZonedDateTime.of(2015, 1, 15, 9, 0, 0, 0, ZoneID.of("UTC-5")); long hrs = ChronoUnit.HOURS.between(depart, arrive);  
//line n1 System.out.println("Travel time is" + hrs + "hours");
```

What is the result?

- A. Travel time is 4 hours
- B. Travel time is 6 hours
- C. Travel time is 8 hours
- D. An exception is thrown at line n1.

Correct Answer: A

QUESTION 2

Given the code fragment:

```
List<String> nums = Arrays.asList("EE", "SE");  
String ans = nums  
    .parallelStream()  
    .reduce("Java ", (a, b) -> a.concat(b));  
System.out.print(ans);
```

What is the result?

- A. Java EEJava EESE
- B. Java EESE
- C. The program prints either: Java EEJava SE or Java SEJava EE
- D. Java EEJava SE

Correct Answer: D

QUESTION 3

Given that these files exist and are accessible:

/sports/info.txt

/sports/cricket/players.txt



/sports/cricket/data/ODI.txt

and given the code fragment:

```
int maxDepth =2;

Stream paths = Files.find(Paths.get("/sports"),
maxDepth,
(p, a) -> p.getFileName().toString().endsWith ("txt"),
FileVisitOption.FOLLOW_LINKS);

Long fCount = paths.count();

System.out.println(fCount);
```

Assuming that there are NO soft-link/symbolic links to any of the files in the directory structure, what is the result?

- A. 1
- B. 2
- C. 3
- D. An Exception is thrown at runtime.

Correct Answer: D

QUESTION 4

Given the code fragment:

```
List<String> str = Arrays.asList ("pen", "is", "not", "a", "pencil");
Predicate<String> test = s -> {
    int i = 0;
    boolean result = s.contains ("pen");
    System.out.print((i++) + ":");
    return result;
};
str.stream()
    .filter(test)
    .findFirst()
    .ifPresent(System.out ::print);
```

What is the result?

- A. 0 : 0 : pen



B. 0 : 1 : pen

C. 0 : pen

D. 0 : 1 : 2 : 3 : 4 :

E. A compilation error occurs.

Correct Answer: E

QUESTION 5

Which class definition compiles?

- A.

```
class Vehicle {
    int id;
    public void start() {
        public class Engine { int eNo = id; }
    }
}
```
- B.

```
class Computer {
    private Card sCard = new SoundCard();
    private abstract class Card { }
    private class SoundCard extends Card { }
}
```
- C.

```
class Block {
    int bno;
    static class Counter {
        int locator;
        Counter() { locator = bno; }
    }
}
```
- D.

```
class Product {
    interface Moveable { void move(); }
    Moveable mProduct = new Moveable() {
        void move() { }
    };
}
```

A. B. C. D.

Correct Answer: B