



1Z0-809^{Q&As}

Java SE 8 Programmer II

Pass Oracle 1Z0-809 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/1z0-809.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

Given the code fragments:

```
public static Optional<String> getCountry(String loc) {
    Optional<String> couName = Optional.empty();
    if ("Paris".equals(loc))
        couName = Optional.of("France");
    else if ("Mumbai".equals(loc))
        couName = Optional.of("India");
    return couName;
}
```

and

```
Optional<String> city1 = getCountry("Paris");
Optional<String> city2 = getCountry("Las Vegas");
System.out.println(city1.orElse("Not Found"));
if (city2.isPresent())
    city2.ifPresent(x -> System.out.println(x));
else
    System.out.println(city2.orElse("Not Found"));
```

What is the result?

- A. France Optional[NotFound]
- B. Optional [France] Optional [NotFound]
- C. Optional[France] Not Found
- D. France Not Found

Correct Answer: D

QUESTION 2

Given the code fragment:

```
List codes = Arrays.asList(10, 20);
```

```
UnaryOperator uo = s -> s +10.0;
```

```
codes.replaceAll(uo);
```

```
codes.forEach(c -> System.out.println(c));
```

What is the result?



- A. 20.0
- 30.0
- B. 10
- C. A compilation error occurs.
- D. A NumberFormatException is thrown at run time.

Correct Answer: C

QUESTION 3

Given the code fragment:

```
final List<String> list = new CopyOnWriteArrayList<>();
final AtomicInteger ai = new AtomicInteger(0);
final CyclicBarrier barrier = new CyclicBarrier(2, new Runnable() {
    public void run() { System.out.println(list); }
});
Runnable r = new Runnable() {
    public void run() {
        try {
            Thread.sleep(1000 * ai.incrementAndGet());
            list.add("X");
            barrier.await();
        } catch (Exception ex) {
        }
    }
};
new Thread(r).start();
new Thread(r).start();
new Thread(r).start();
new Thread(r).start();
```

What is the result ?

- A. [X] [X, X] [X, X, X] [X, X, X, X]
- B. [X, X]
- C. [X] [X, X] [X, X, X]
- D. [X, X] [X, X, X, X]

Correct Answer: A

QUESTION 4

Given the code fragment:



```
Path path1 = Paths.get("/app/./sys/");
```

```
Path res1 = path1.resolve("log");
```

```
Path path2 = Paths.get("/server/exe/");
```

```
Path res1 = path2.resolve("/readme/");
```

```
System.out.println(res1);
```

```
System.out.println(res2);
```

What is the result?

A. /app/sys/log /readme/server/exe

B. /app/log/sys /server/exe/readme

C. /app/./sys/log /readme

D. /app/./sys/log /server/exe/readme

Correct Answer: D

QUESTION 5

Given the code fragment:

```
public class Foo {  
  
    public static void main (String [ ] args) {  
  
        Map unsortMap = new HashMap ( );  
  
        unsortMap.put (10, "z");  
  
        unsortMap.put (5, "b");  
  
        unsortMap.put (1, "d");  
  
        unsortMap.put (7, "e");  
  
        unsortMap.put (50, "j");  
  
        Map treeMap = new TreeMap (new  
  
        Comparator ( ) {  
  
            @Override public int compare (Integer o1, Integer o2) {return o2.compareTo  
  
            (o1); } } );  
  
        treeMap.putAll (unsortMap);  
  
        for (Map.Entry entry : treeMap.entrySet ( ) ) {
```



```
System.out.print (entry.getValue () + " ");
```

```
}
```

```
}
```

```
}
```

What is the result?

A. A compilation error occurs.

B. d b e z j

C. j z e b d

D. z b d e j

Correct Answer: C

[1Z0-809 VCE Dumps](#)

[1Z0-809 Study Guide](#)

[1Z0-809 Braindumps](#)