



1Z0-811^{Q&As}

Java Foundations

Pass Oracle 1Z0-811 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/1z0-811.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

Given the code fragment:

```
Random r1 = new Random(10);
Random r2 = new Random(10); // line n1

if (r1.nextInt() == r2.nextInt()) {
    System.out.println("Jack");
} else {
    System.out.println("Queen");
}
```

What is the result?

- A. A compilation error occurs at line n1.
- B. Jack
- C. The program prints either Jack or Queen.
- D. Queen

Correct Answer: A

Result

CPU Time: sec(s), Memory: kilobyte(s)

```
~/Test.java:21: error: 'else' without 'if'
    } else {
      ^
1 error
```

QUESTION 2

You have been asked to develop a Java program that prints the elements of an array in reverse order.

Which looping statement cannot be used to meet the requirement?

- A. enhanced for
- B. standard for



C. while

D. do-while

Correct Answer: D

Reference: <https://www.javatpoint.com/java-program-to-print-the-elements-of-an-array-in-reverse-order>

QUESTION 3

Which statement is true about exception handling?

A. At least one catch block must accompany a try statement.

B. All statements in a try block are executed, even if an exception occurs in the middle of the try block.

C. At least one statement in a try block must throw an exception.

D. All catch blocks must be ordered from general to most specific.

Correct Answer: D

Reference: <https://www.javatpoint.com/multiple-catch-block-in-java>

QUESTION 4



```
14 public class Test {
15     int var1; //line n1
16     public static void main (String[] args) {
17         int var2 = 0; //line n2
18         Test obj = new Test();
19         int var3 = var2 + obj.var1;
20         System.out.println(var3);
21     }
22 }
```

Execute Mode, Version, Inputs & Arguments

JDK 11.0.4

CommandLine Arguments

Result

CPU Time: 0.15 sec(s), Memory: 30328 kilobyte(s)

0

Given the code fragment:

```
int number = 1;
String s = null;
try {
    number = s.length();
    number += 2;
}
catch (RuntimeException e) {
    number += 4;
}
System.out.println (number);
```

What is the result?

- A. 1
- B. 3
- C. 5
- D. Nothing is printed.



Correct Answer: C

QUESTION 5

Given: Which statement is true about the main method?

```
public class App {  
    public static void main (String[] args) {  
        System.out.println ("Hello Java!");  
    }  
}
```

- A. It can be a non-static method.
- B. Its parameter can be of type Integer [].
- C. It cannot be defined in a non-public class.
- D. It cannot be invoked by its name.

Correct Answer: D

[1Z0-811 Practice Test](#)

[1Z0-811 Exam Questions](#)

[1Z0-811 Braindumps](#)