



# 1Z0-811<sup>Q&As</sup>

Java Foundations

**Pass Oracle 1Z0-811 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/1z0-811.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

Which two components can class declarations include?

- A. A list of instance methods
- B. The main method
- C. Interfaces implemented by the class
- D. The public modifier

Correct Answer: CD

Reference: <https://docs.oracle.com/javase/tutorial/java/javaOO/classdecl.html>

---

**QUESTION 2**

Given the code fragment:

```
Random r1 = new Random(10);  
Random r2 = new Random(10); // line n1  
  
if (r1.nextInt() == r2.nextInt()) {  
    System.out.println("Jack");  
} else {  
    System.out.println("Queen");  
}
```

What is the result?

- A. A compilation error occurs at line n1.
- B. Jack
- C. The program prints either Jack or Queen.
- D. Queen

Correct Answer: A

**Result**

CPU Time: sec(s), Memory: kilobyte(s)

```
✓Test.java:21: error: 'else' without 'if'
    } else {
      ^
1 error
```

**QUESTION 3**

Given:

```
1. class Test {
2.     /* comment text 1 */
3.     // comment text 2 //
4.     // comment text 3
5.     and comment text 4 //
6.     /* comment text 5
7.     and comment text 6 */
8. }
```

At which line does a compilation error occur?

- A. line 5
- B. line 2
- C. line 3
- D. line 7

Correct Answer: A

---

**QUESTION 4**

Given the code:



```
public class Calc {  
    // line n1  
        return a + b;  
    }  
    public static void main(String[] args) {  
        Calc obj = new Calc();  
        int c = obj.sum(10, 20);  
        System.out.println("sum is " + c);  
    }  
}
```

Which code fragment, when inserted at line n1, enables the code to print sum is 30?

- A. `int sum(int a, b) {`
- B. `int sum(int a, int b) {`
- C. `int sum(int, int) {`
- D. `int sum(int[] a, b) {`

Correct Answer: D

---

## QUESTION 5



```
1 import java.util.*;
2 import java.io.*;
3 import java.lang.Thread;
4 import java.util.ArrayList;
5 import java.util.LinkedList;
6 import java.util.List;
7
8 public class Test {
9
10 public static void main(String[] args) {
11     boolean checkOut = true;
12     int days = 0;
13     while (checkOut) {
14         days++;
15         if (days > 3) {
16             checkOut = false;
17         }
18     }
19     System.out.print(days);
20 }
21 }
```

#### Execute Mode, Version, Inputs & Arguments

JDK 11.0.4

#### CommandLine Arguments

#### Result

CPU Time: 0.16 sec(s), Memory: 30068 kilobyte(s)

4

Identify two Java reserved words.

- A. array
- B. true
- C. this
- D. exception
- E. string



Correct Answer: BC

Reference: [https://www.computerhope.com/jargon/j/java\\_reserved\\_words.htm](https://www.computerhope.com/jargon/j/java_reserved_words.htm)

[Latest 1Z0-811 Dumps](#)

[1Z0-811 PDF Dumps](#)

[1Z0-811 VCE Dumps](#)