



1Z0-816^{Q&As}

Java SE 11 Programmer II

Pass Oracle 1Z0-816 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/1z0-816.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

Which three guidelines are used to protect confidential information? (Choose three.)

- A. Limit access to objects holding confidential information.
- B. Clearly identify and label confidential information.
- C. Manage confidential and other information uniformly.
- D. Transparently handle information to improve diagnostics.
- E. Treat user input as normal information.
- F. Validate input before storing confidential information.
- G. Encapsulate confidential information.

Correct Answer: ADF

Reference: <https://danielkvist.net/code/java-secure-coding-guidelines>

QUESTION 2

Given the code fragment:

```
var pool = Executors.newFixedThreadPool(5);
```

```
Future outcome = pool.submit(() -> 1);
```

Which type of lambda expression is passed into submit()?

- A. java.lang.Runnable
- B. java.util.function.Predicate
- C. java.util.function.Function
- D. java.util.concurrent.Callable

Correct Answer: D

Reference: <https://www.codota.com/code/java/methods/java.util.concurrent.Executors/newFixedThreadPool>

QUESTION 3

Consider this method declaration:



```
void setSessionUser(Connection conn, String user) throws SQLException {  
    Statement stmt = conn.createStatement();  
    String sql = <EXPRESSION>;  
    stmt .execute();  
}
```

- A) "SET SESSION AUTHORIZATION " + user
- B) "SET SESSION AUTHORIZATION " + stmt.enquoteIdentifier(user)

Is A or B the correct replacement for and why?

- A. A, because it sends exactly the value of user provided by the calling code.
- B. B, because enquoting values provided by the calling code prevents SQL injection.
- C. A and B are functionally equivalent.
- D. A, because it is unnecessary to enclose identifiers in quotes.
- E. B, because all values provided by the calling code should be enquoted.

Correct Answer: A

Reference:

[https://www.google.com/url?](https://www.google.com/url?sa=t&andrc=jandq=andesrc=sandsource=webandcd=4andved=2ahUKEwj7ycO80fLoAhVHPcAKHcoLC9cQFjADegQIAxABandurl=ftp%3A%2F%2Fftp.software.ibm.com%2Fps%2Fproducts%2Fdb2%2Finfo%2Fvr9%2Fpdf%2Fletter%2Fen_US%2Fdb2s2e90.pdf&andusg=AOvVaw2VqpeEh5HpbeXfa0OB5Lec)

[sa=t&andrc=jandq=andesrc=sandsource=webandcd=4andved=2ahUKEwj7ycO80fLoAhVHPcAKHcoLC9cQFjADegQIAx](https://www.google.com/url?sa=t&andrc=jandq=andesrc=sandsource=webandcd=4andved=2ahUKEwj7ycO80fLoAhVHPcAKHcoLC9cQFjADegQIAxABandurl=ftp%3A%2F%2Fftp.software.ibm.com%2Fps%2Fproducts%2Fdb2%2Finfo%2Fvr9%2Fpdf%2Fletter%2Fen_US%2Fdb2s2e90.pdf&andusg=AOvVaw2VqpeEh5HpbeXfa0OB5Lec)

[ABandurl=ftp%3A%2F%2Fftp.software.ibm.com%2Fps%2Fproducts%2Fdb2%2Finfo%2Fvr9%2Fpdf%](https://www.google.com/url?sa=t&andrc=jandq=andesrc=sandsource=webandcd=4andved=2ahUKEwj7ycO80fLoAhVHPcAKHcoLC9cQFjADegQIAxABandurl=ftp%3A%2F%2Fftp.software.ibm.com%2Fps%2Fproducts%2Fdb2%2Finfo%2Fvr9%2Fpdf%2Fletter%2Fen_US%2Fdb2s2e90.pdf&andusg=AOvVaw2VqpeEh5HpbeXfa0OB5Lec)

[2Fletter%2Fen_US%2Fdb2s2e90.pdf&andusg=AOvVaw2VqpeEh5HpbeXfa0OB5Lec](https://www.google.com/url?sa=t&andrc=jandq=andesrc=sandsource=webandcd=4andved=2ahUKEwj7ycO80fLoAhVHPcAKHcoLC9cQFjADegQIAxABandurl=ftp%3A%2F%2Fftp.software.ibm.com%2Fps%2Fproducts%2Fdb2%2Finfo%2Fvr9%2Fpdf%2Fletter%2Fen_US%2Fdb2s2e90.pdf&andusg=AOvVaw2VqpeEh5HpbeXfa0OB5Lec)

QUESTION 4

Given:

```
public class Confidential implements Serializable{  
    private String data;  
  
    public Confidential(String data) {  
        this.data = data;  
    }  
}
```

Which two are secure serialization of these objects? (Choose two.)

- A. Define the serialPersistentFields array field.
- B. Declare fields transient.



- C. Implement only readResolve to replace the instance with a serial proxy and not writeReplace.
- D. Make the class abstract.
- E. Implement only writeReplace to replace the instance with a serial proxy and not readResolve.

Correct Answer: AC

QUESTION 5

Given the code fragment:

```
Path source = Paths.get("/repo/a/a.txt"); Path destination = Paths.get("/repo"); Files.move(source, destination); // line 1
Files.delete (source); // line 2
```

Assuming the source file and destination folder exist, what is the result?

- A. A java.nio.file.FileAlreadyExistsException is thrown on line 1.
- B. A java.nio.file.NoSuchFileException is thrown on line 2.
- C. A copy of /repo/a/a.txt is moved to the /repo directory and /repo/a/a.txt is deleted.
- D. a.txt is renamed repo.

Correct Answer: C

[1Z0-816 PDF Dumps](#)

[1Z0-816 VCE Dumps](#)

[1Z0-816 Braindumps](#)