



# 1Z0-869<sup>Q&As</sup>

Java Mobile Edition 1 Mobile Application Developer Certified  
Professional Exam

## Pass Oracle 1Z0-869 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/1z0-869.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





### QUESTION 1

Which three classes are subclasses of Item? (Choose three.)

- A. List
- B. Alert
- C. TextBox
- D. TextField
- E. Gauge
- F. ChoiceGroup
- G. Form

Correct Answer: DEF

---

### QUESTION 2

Which is true for Item?

- A. The same Command may occur on more than one Item.
- B. The same Item may be appended to more than one Form at the same time.
- C. When adding a Command to an Item, specifying a command type other than Command.ITEM results in a compilation failure.
- D. Minimum and preferred size CANNOT be changed once an Item is created.

Correct Answer: A

---

### QUESTION 3

A MIDlet that is to be installed on a phone has different values for the MIDlet-Name property between the JAD file and the manifest in the JAR file. Which is true?

- A. A dialog is presented to resolve the conflict.
- B. The value in the manifest overrides the value in the JAD file.
- C. The value in the JAD file overrides the value in the manifest.
- D. The MIDlet installation process will be aborted.

Correct Answer: D

---



#### QUESTION 4

wav is a content type supported on a device that executes:

10.

Player p;

11.

p = Manager.createPlayer("http://foobar.sun.com/sound.wav");

12.

p.prefetch(); Which is true?

- A. An exception is generated at runtime.
- B. No exception is thrown at runtime. No sound is played.
- C. The result is device-dependent.
- D. sound.wav is played on the device.

Correct Answer: B

---

#### QUESTION 5

Which two are true regarding error handling for classes that exist in both CLDC and J2SE? (Choose two.)

- A. The set of error classes is essentially the same in CLDC and J2SE.
- B. There is no correspondence between the errors defined by CLDC and J2SE because the needs of CLDC and J2SE are so different.
- C. If a class throws an error in CLDC, it should throw the same error as in J2SE or its nearest superclass.
- D. The set of error classes is much reduced in CLDC to help reduce the overhead of the JVM.

Correct Answer: CD

[Latest 1Z0-869 Dumps](#)

[1Z0-869 PDF Dumps](#)

[1Z0-869 VCE Dumps](#)