



1Z0-869^{Q&As}

Java Mobile Edition 1 Mobile Application Developer Certified
Professional Exam

Pass Oracle 1Z0-869 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/1z0-869.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

Assuming an application descriptor contains:

MIDlet-Data-Size: 4096

Which is true?


- A. The device will use 4096 bytes to buffer data the application receives over the network.
- B. The device will permanently reserve 4096 bytes of heap space for the application.
- C. The device will use 4096 bytes to buffer data the application sends over the network.
- D. The device will permanently reserve 4096 bytes of RMS space for the application.

Correct Answer: D


QUESTION 2

Click the Task button. Place the MIDP 2.0 classes and interfaces in the correct positions in the hierarchy.

Select and Place:



Correct Answer:



QUESTION 3

A MIDlet suite on a device uses socket connections. The device always asks the user for permission when the suite tries opening a socket connection. What is always false about the MIDlet suite?

- A. It is trusted and requests permission to use sockets with MIDlet-Permissions-User.
- B. It is trusted and requests permission to use sockets with MIDlet-Permissions.
- C. It is untrusted.
- D. It is trusted and requests permission to use sockets with MIDlet-Permissions-Opt

Correct Answer: A

QUESTION 4

Which three dimensions of a standard-size application does the JTWI 1.0 specification define? (Choose three.)

- A. RMS data size
- B. screen size
- C. JAD size
- D. JAR size
- E. heap size

Correct Answer: ACD



QUESTION 5

Which two are true about JTWI devices using SMS? (Choose two.)

- A. The payload for an SMS message can use the BinaryMessage interface.
- B. A message which is too big to be sent in a single segment is NOT guaranteed to have its segments arrive at the application in the order in which they were sent.
- C. Multiple messages sent from point A to point B are NOT guaranteed to be delivered in the order in which they were sent.
- D. Java applications are restricted to using port numbers between 2000 and 9207.
- E. The payload for an SMS message segment CANNOT exceed 140 bytes.

Correct Answer: AC

[1Z0-869 PDF Dumps](#)

[1Z0-869 VCE Dumps](#)

[1Z0-869 Practice Test](#)