



1Z0-874^{Q&As}

MySQL 5.0 Database Administrator Certified Professional Exam, Part II

Pass Oracle 1Z0-874 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/1z0-874.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

Which of the following are true regarding the usage of the IDENTIFIED BY clause in the GRANT statement used to create a new user account?

- A. There is no IDENTIFIED BY clause for the GRANT statement
- B. The IDENTIFIED BY clause is always optional
- C. The IDENTIFIED BY clause is always mandatory
- D. The IDENTIFIED BY clause may be mandatory depending on the current SQL mode
- E. The IDENTIFIED BY clause specifies the password to be used with the account
- F. The IDENTIFIED BY clause specifies an alternate user name for the account

Correct Answer: BD

QUESTION 2

The password for the existing user `\\kofi\\@\\'agric.comp1.com\\'` must be changed to "Sakila". Which of the following will do that?

- A. `SET PASSWORD FOR \\kofi\\@\\'agric.comp1.com\\' = \\Sakila\\'`
- B. `SET PASSWORD \\Sakila\\' FOR \\kofi\\@\\'agric.comp1.com\\'`
- C. `SET PASSWORD FOR \\kofi\\@\\'agric.comp1.com\\' = PASSWORD(\\Sakila\\')`
- D. `SET PASSWORD(\\Sakila\\') FOR \\kofi\\@\\'agric.comp1.com\\'`

Correct Answer: C

QUESTION 3

Assuming that the account `\\joe\\@\\'\\%\\'` does not already exist on the server, executing the statement `mysql> CREATE USER \\joe\\@\\'\\%\\' IDENTIFIED BY \\sakila\\'`

will have the following consequences:

- A. The account `\\joe\\@\\'\\%\\'` is created on the server. However, clients cannot connect using this account until further privileges have been assigned to the account.
- B. The account `\\joe\\@\\'\\%\\'` is created on the server. Clients may connect to the server using this account, but will not be able to access any databases, tables or stored routines
- C. The account `\\joe\\@\\'\\%\\'` is created on the server. Clients may connect to the server using this account and execute stored routines, but will not be able to access any databases or tables
- D. Nothing; there is no such command as CREATE USER



Correct Answer: B

QUESTION 4

Consider the following:

```
mysql> SHOW STATUS LIKE '\\Qcache%\\';
```

```
+-----+-----+
| Variable_name | Value |
+-----+-----+
| Qcache_free_blocks | 87 |
| Qcache_free_memory | 318442 |
| Qcache_hits | 11224 |
| Qcache_inserts | 19215 |
| Qcache_lowmem_prunes | 437 |
| Qcache_not_cached | 9155 |
| Qcache_queries_in_cache | 240 |
| Qcache_total_blocks | 924 |
+-----+-----+
```

What can be derived from this output?

- A. There is a low utilization of the query cache.
- B. There is a normal utilization of the query cache.
- C. There is a high utilization of the query cache.

Correct Answer: A

QUESTION 5

Consider the following EXPLAIN of a simple Join: `mysql> EXPLAIN SELECT CountryList.Name, CityList.Name, CityList.Population -> FROM CountryList JOIN CityList ON CountryList.Code = CityList.Country -> WHERE CityList.Population > 8000000\G` ***** 1. row ***** id: 1 select_type: SIMPLE table: CountryList

type: ALL possible_keys: NULL key: NULL key_len: NULL ref: NULL rows: 239 Extra: ***** 2. row ***** id: 1 select_type: SIMPLE table: CityList type: ALL possible_keys: NULL key: NULL key_len: NULL ref: NULL rows: 4079 Extra: Using where How many rows need to be examined to perform the join?



- A. 239, the number of rows in the first table
- B. 4079, the number of rows in the second table
- C. 2159, the average of both numbers
- D. 4318, the sum of both numbers
- E. 974881, the product of both numbers

Correct Answer: E

[Latest 1Z0-874 Dumps](#)

[1Z0-874 PDF Dumps](#)

[1Z0-874 Practice Test](#)