



1Z0-882^{Q&As}

MySQL 5.6 Developer

Pass Oracle 1Z0-882 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/1z0-882.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which two code samples demonstrate valid methods for working with loops?

- A. DECLARE I INT DEFAULT 0; Test_loop: LOOP SET i =i +1; IF i >=5 THEN LEAVE test_loop; END IF; END LOOP test_loop;
- B. DECLARE i INT DEFAULT 0; WHILE I
- C. DECLARE i INT DEFAULT 0; WHILE i
- D. DECLARE i INT DEFAULT 0; Test_loop; LOOP SET i =i +1; IF i >=5 THEN LEAVE; END IF; END LOOP test_loop;

Correct Answer: C

QUESTION 2

Cormcctor/Net supports a decoupled database connection mode, where a database Connection is established only when needed.

\\

Choose the three parts that are involved when working with decoupled data.

- A. OpenConnect.MySql, DataTtread.MySql, CommandExecutor.MySql
- B. MySqlQueryBuilder, MySqlQuerytxer. MySq I Query Results
- C. DecoupODBCConn, DecoupMyScjlruiiiimanrt, DecoupMySqlReturn
- D. DataSet, MySqlDataAdapter, MySql Command Builder

Correct Answer: D

QUESTION 3

Consider the my_table table with these contents:

a	b
11	12
13	14

You execute: SELECT 1 FROM my_table; What is the result?

- A. A single value: 1
- B. Two values: 1, 1



- C. Two values: 11, 12
- D. Two values: 11, 13
- E. An error message

Correct Answer: A

QUESTION 4

Which condition must be true in order that a view is considered updateable?

- A. The user must have the UPDATE or DELETE privilege for the underlying table.
- B. There must be a subquery in the WHERE clause that refers to a table in the FROM clause.
- C. There must be a one-to-one relationship between the rows in the view and the rows in the underlying table.
- D. The view must only refer to literal values.

Correct Answer: C

QUESTION 5

An application packs several fields of information into the details column of the table sensors. The first six characters of that data represent a location code.

Example: "ABCDEF00 oozzz comments will be here FIELDS----FIELD64"

Given the query pattern:

```
SELECT----FROM sensors WHERE details LIKE `ABCDEF`
```

Which three ALTER TABLE commands enable the optimizer to use an index for this WHERE patterns?

- A. ALTER TABLE sensors ADD KEY (details) USING BTREE
- B. ALTER TABLE sensors ADD KEY (details) USING HASH
- C. ALTER TABLE sensors ADD KEY (details) USING BTREE
- D. ALTER TABLE sensors ADD KEY (details)USING HASH
- E. ALTER TABLE sensors ADD FULLTEXT (details)

Correct Answer: AB

[1Z0-882 VCE Dumps](#)

[1Z0-882 Exam Questions](#)

[1Z0-882 Braindumps](#)