



1Z0-882^{Q&As}

MySQL 5.6 Developer

Pass Oracle 1Z0-882 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/1z0-882.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

You attempt to create two new tables:

```
CREATE TABLE `warehouse` (  
  `id` int (11) NOT NULL AUTO_INCREMENT,  
  `name` varchar (20) NOT NULL,  
  `phone` varchar (20) NOT NULL,  
  PRIMARY KEY (`id`)  
) ENGINE=MyISAM  
  
CREATE TABLE `warehouseitem` (  
  `warehouse_id` bigint (11) NOT NULL,  
  `item_id` int (11) NOT NULL,  
  `count` int(11) NOT NULL DEFAULT `0`,  
  KEY "warehouse_id" (`warehouse-id` ),  
  FOREIGN KEY (warehouse_id) REFFERENCES warehouse (id ) ENGINE= InnoDB
```

You get this error :

ERROR 1215 (HY000): cannot add foreign key constraint Which two changes are required to permit these statements to execute without any error?

- A. The `warehouseitem` table must be managed by the MySAM storage engine.
- B. The `warehouse`-table must be managed by the InnoDB storage engine.
- C. The foreign key clause must be reversed: FOREIGN KEY warehouse(1)REFERENCES (warehouseid).
- D. The data types of the `warehouse`.`id` and `warehouseitem.warehouse_id` columns must match.
- E. The `warehouse_id` column must be renamed `id` to match the definition on the `warehouse` table.
- F. A UNIQUE key must be defined for the columns (`item_id`,`warehouse_id`).

Correct Answer: CD

QUESTION 2

Consider the structure of the table countryLanguage and the distribution of the column Is official. DESCRIBE CountryLanguage;



Field	Type	Null	Key	Default	Extra
Country	char(3)	NO	PRI		
Language	char(30)	NO	PRI		
IsOfficial	enum('T','F')	YES		F	
Percentage	float(3,1)	YES		0.0	

SELECT Isofficial, COUNT (Isofficial) FROM CountryLanguage GROUP BY Isofficial;

IsOfficial	COUNT(IsOfficial)
T	538
F	746

You add an index on the Isofficial column. Which two statements are true?

- A. The optimizer will choose the index when Isofficial='T' is in the WHERE clause.
- B. The optimizer will choose the index when Isofficial='F' is in the WHERE clause.
- C. The optimizer will not choose the index on the Isofficial column.
- D. The speed of INSERT statements to this table will be improved.
- E. The speed of INSERT statements to this table will be reduced.
- F. The speed of INSERT statements to this table will be unchanged.

Correct Answer: CE

QUESTION 3

Cormcctor/Net supports a decoupled database connection mode, where a database Connection is established only when needed.

\\

Choose the three parts that are involved when working with decoupled data.

- A. OpenConnect.MySql, DataTTiread.MySql, CommandExecutor.MySql
- B. MySqlQueryBuilder, MySqlQuerytxer. MySql I Query Results
- C. DecoupODBCConn, DecoupMyScjlruiiimanrt, DecoupMySqlReturn
- D. DataSet, MySqlDataAdapter, MySql Command Builder

Correct Answer: D

**QUESTION 4**

You wish to create a trigger on the country table. It will populate two session variables based on the row that is deleted: @old_countryNames with the value of the Name field @old_countryName with the value of the code field

You may assume that only one row is ever deleted at a time. CREATE TRIGGER Country_ad AFTER DELETE ON Country FOR EACH ROW SET

```
@old_CountryName= NEW.Name,
```

```
@
```

```
old_CountryCode=NEW.Code;
```

What is the outcome of the CREATE TRIGGER statement?

A.

The trigger will be created successfully.

B.

An error results because the NEW keyword cannot be used in a DELETE trigger.

C.

An error results because FOR EACH ROW is invalid syntax.

D.

An error results because a BEGIN. . .END block is required.

Correct Answer: C

QUESTION 5

Which two code samples demonstrate valid methods for working with loops?

A. DECLARE I INT DEFAULT 0; Test_loop: LOOP SET i =i +1; IF i >=5 THEN LEAVE test_loop; END IF; END LOOP test_loop;

B. DECLARE i INT DEFAULT 0; WHILE I

C. DECLARE i INT DEFAULT 0; WHILE i

D. DECLARE i INT DEFAULT 0; Test_loop; LOOP SET i =i +1; IF i >=5 THEN LEAVE; END IF; END LOOP test_loop;

Correct Answer: C

[1Z0-882 PDF Dumps](#)

[1Z0-882 Practice Test](#)

[1Z0-882 Exam Questions](#)