



1Z0-888^{Q&As}

MySQL 5.7 Database Administrator

Pass Oracle 1Z0-888 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/1z0-888.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which three statements correctly describe MySQL InnoDB Cluster? (Choose three.)

- A. The cluster can be operated in multimaster mode with conflict detection for DML statements.
- B. All MySQL client programs and connectors can be used for executing queries.
- C. It provides fully synchronous replication between the nodes.
- D. There is support for automatic failover when one node fails.
- E. The data is automatically shared between the nodes.
- F. Each query will be executed in parallel across the nodes.

Correct Answer: BDF

QUESTION 2

This output is from a SHOW SLAVE STATUS:

```
mysql> SHOW SLAVE STATUS\G
***** 1. row *****
      Slave_IO_State: Waiting for master to send event
.....
      Slave_IO_Running: Yes
      Slave_SQL_Running: Yes
.....
              SQL_Delay: 360
      SQL_Remaining_Delay: NULL
      Slave_SQL_Running_State: Slave has read all relay log; waiting for the slave I/O
      thread to update it
```

What would cause the SQL_Delay variable to have a value of 360?

- A. The master has performed a large transaction, which will take 360 seconds to complete on the slave.
- B. The network latency between the master and the slave is 360 milliseconds.
- C. The slave will need an estimated 360 seconds to update the remaining contents from the relay log.
- D. The slave was configured for delayed replication with a delay of six minutes.

Correct Answer: D

Reference: https://docs.oracle.com/cd/E17952_01/mysql-5.7-en/show-slave-status.html

QUESTION 3

You are installing MySQL Server 5.7 from a tarball package. You have already set up the correct PATH environment variable and configured your /etc/my.cnf file.



Which command will correctly prepare a data directory?

- A. `service mysqld prepare-init`
- B. `mysqld_safe --initialize ...`
- C. `mysql -u root -p`
- D. `mysqld_safe --user=mysql`
- E. `mysqld --initialize ...`

Correct Answer: E

Reference: <https://dev.mysql.com/doc/refman/5.7/en/data-directory-initialization.html>

QUESTION 4

The MySQL installation includes the `mysql_config_editor` utility for managing login paths stored in a `.mylogin.cnf` file.

Which two are true about the login path feature? (Choose two.)

- A. `mysql_config_editor` is the only MySQL-provided utility that can print the values stored in `.mylogin.cnf`.
- B. A `.mylogin.cnf` file can store at most one login path.
- C. It provides a FIPS-compliant keyring for storing MySQL login details.
- D. A `.mylogin.cnf` file can be edited using a text editor, such as vim or Notepad++.
- E. It is an alternative to storing the MySQL login details in a `my.cnf` file.
- F. It provides means to help avoid accidentally exposing the MySQL login details.

Correct Answer: EF

Reference: <https://dev.mysql.com/doc/refman/8.0/en/mysql-config-editor.html>

QUESTION 5

An existing master-slave setup is currently using a delayed replication of one hour. The master has crashed and the slave must be "rolled forward" to provide all the latest data.

The `SHOW SLAVE STATUS` indicates these values: `RELAY_LOG_FILE=hostname-relay-bin.00004`
`RELAY_LOG_POS=1383`

Which command set would make the slave current?

- A. `STOP SLAVE; SET GLOBAL master_delay=0; START SLAVE;`
- B. `STOP SLAVE; CHANGE MASTER TO RELAY_LOG_FILE = `hostname-relay-bin.00004`, RELAY_LOG_POS = 1383;`



C. STOP SLAVE; CHANGE MASTER TO MASTER_DELAY=0; START SLAVE;

D. STOP SLAVE; CHANGE MASTER TO MASTER_DELAY=0; RELAY_LOG_FILE = `hostname-relaybin.00004\`,
RELAY_LOG_POS = 1383;

Correct Answer: C

[1Z0-888 VCE Dumps](#)

[1Z0-888 Practice Test](#)

[1Z0-888 Study Guide](#)