



1Z0-908^{Q&As}

MySQL 8.0 Database Administrator

Pass Oracle 1Z0-908 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/1z0-908.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which condition is true about the use of the hash join algorithm?

- A. No index can be used for the join.
- B. The query must access no more than two tables.
- C. The smallest of the tables in the join must fit in memory as set by `join_buffer_size`.
- D. At least one of the tables in the join must have a hash index.

Correct Answer: B

QUESTION 2

You are using `mysqlcheck` for server maintenance. Which two statements are true? (Choose two.)

- A. The `mysqlcheck --check --all-databases` command takes table write locks while performing a series of checks.
- B. The `mysqlcheck --optimize --all-databases` command reclaims free space from table files.
- C. The `mysqlcheck --repair --all-databases` command can repair an InnoDB corrupted table.
- D. The `mysqlcheck` command can be renamed `mysqlrepair` so that it repairs tables by default.
- E. The `mysqlcheck --analyze --all-databases` command performs a series of checks to spot eventual table corruptions.

Correct Answer: DE

QUESTION 3

You have upgraded the MySQL binaries from 5.7.28 to 8.0.18 by using an in-place upgrade. Examine the message sequence generated during the first start of MySQL 8.0.18:

```
... [System] ... /usr/sbin/mysqld (mysqld 8.0.18-commercial) starting as process 2754
... [System] ... Starting upgrade of data directory.
... [ERROR] ... Table upgrade required. Please do "REPAIR TABLE `columns_priv`" or dump/reload to fix it!
... [ERROR] ... Table upgrade required. Please do "REPAIR TABLE `event`" or dump/reload to fix it!
... [ERROR] ... Table upgrade required. Please do "REPAIR TABLE `proc`" or dump/reload to fix it!
... [ERROR] ... Table upgrade required. Please do "REPAIR TABLE `proxies_priv`" or dump/reload to fix it!
... [ERROR] ... Table upgrade required. Please do "REPAIR TABLE `tables_priv`" or dump/reload to fix it!
... [ERROR] ... Failed to open mysql.event Table.
... [ERROR] ... Failed to open mysql.proc Table.
... [ERROR] ... Failed to Populate DD tables.
... [ERROR] ... Aborting
... [System] ... /usr/sbin/mysqld: Shutdown complete (mysqld 8.0.18-commercial) MySQL Enterprise Server -
Commercial.
```

Which step or set of steps will resolve the errors?



- A. Remove the redo logs. Replace the MySQL binaries with the 5.7.28 binaries. Prepare the tables for upgrade. Upgrade to 8.0.18 again.
- B. Execute: `mysqlcheck --check-upgrade mysql columns_priv event proc proxies_priv tables_priv`.
- C. Start mysqld again using the `--upgrade=FORCE` option.
- D. Execute: `mysqlcheck --repair mysql columns_priv event proc proxies_priv tables_priv`.
- E. Go to the `/mysql` directory and execute: `myisamchk --update-state columns_priv event proc proxies_priv tables_priv`.

Correct Answer: C

QUESTION 4

Examine this MySQL client command to connect to a remote database:

```
mysql -h remote.example.org -u root -p --protocol=TCP --ssl-mode=
```

Which two `--ssl-mode` values will ensure that an X.509-compliant certificate will be used to establish the SSL/TLS connection to MySQL?

- A. REQUIRED
- B. VERIFY_CA
- C. VERIFY_IDENTITY
- D. PREFERRED
- E. DISABLED

Correct Answer: BC

Explanation: <https://dev.mysql.com/doc/refman/5.7/en/using-encrypted-connections.html>

QUESTION 5

Which two tools are available to monitor the global status of InnoDB locking? (Choose two.)

- A. `SHOW ENGINE INNODB STATUS;`
- B. `INFORMATION_SCHEMA.INNODB_METRICS`
- C. `SHOW TABLE STATUS;`
- D. `INFORMATION_SCHEMA.STATISTICS`
- E. `INFORMATION_SCHEMA.INNODB_TABLESTATS`
- F. `SHOW STATUS;`



Correct Answer: DE

[Latest 1Z0-908 Dumps](#)

[1Z0-908 VCE Dumps](#)

[1Z0-908 Exam Questions](#)