



1Z0-931-21^{Q&As}

Oracle Autonomous Database Cloud 2020 Specialist

Pass Oracle 1Z0-931-21 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/1z0-931-21.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

Which statement is true about connecting a marketplace Oracle Cloud Infrastructure (OCI) image to an Autonomous Database on Shared Infrastructure?

- A. The Autonomous Database must belong to a Network Security Group (NSG).
- B. A Private Endpoint is required to connect to the Autonomous Database on shared Exadata infrastructure.
- C. The marketplace OCI image does not support connecting to an Autonomous Database on Shared Infrastructure.
- D. The marketplace OCI image can be used with an Always Free Autonomous Database account.
- E. The Autonomous Database can only be in the same virtual cloud network (VCN) and subnet as the marketplace OCI image.

Correct Answer: E

QUESTION 2

Oracle Data Safe is a unified control center for your Oracle databases which helps you understand the sensitivity of your data, evaluate risks to data, mask sensitive data, implement and monitor security controls, assess user security, monitor user activity, and address data security compliance requirements.

Which statement is FALSE?

- A. Oracle Data Safe only supports Autonomous Databases.
- B. Oracle Data Safe helps you assess the security of your cloud database configurations by analyzing database configurations.
- C. Oracle Data Safe helps you find sensitive data in your database by inspecting the actual data in your database and its data dictionary.
- D. Oracle Data Safe evaluates user types, how users are authenticated, and the password policies assigned to each user.

Correct Answer: A

<https://www.oracle.com/database/technologies/security/data-safe.html> <https://www.oracle.com/a/tech/docs/dbsec/data-safe/faq-security-data-safe.pdf>

Data Safe works with the following Oracle Databases Oracle on-Premises Databases Oracle Cloud Databases Autonomous Database on Shared Exadata Infrastructure Autonomous Database on Dedicated Exadata Infrastructure Exadata DB systems Database Cloud Service on Virtual Machine Database Cloud Service on Bare Metal Oracle Database on Compute

QUESTION 3

Which option is not available to pick (no.of days) when configuring the backup retention for Oracle Container Database.



A. 120

B. 60

C. 15

D. 7

Correct Answer: A

Backup Retention If you choose to enable automatic backups, you can choose one of the following preset retention periods: 7 days, 15 days, 30 days, 45 days, or 60 days. The system automatically deletes your incremental backups at the end of your chosen retention period.

<https://docs.oracle.com/en-us/iaas/Content/Database/Tasks/backingupOS.htm>

QUESTION 4

Which statement is FALSE about Oracle Data Safe?

A. It supports only Autonomous Databases.

B. It helps you assess the security of your cloud database configurations by analyzing database configurations.

C. It helps you find and mask sensitive data in your database by inspecting the actual data in your database and its data dictionary.

D. It evaluates user types, how users are authenticated, and the password policies assigned to each user.

E. It helps you evaluate risks to data, assess user security, monitor user activity, and address data security compliance requirements.

Correct Answer: E

QUESTION 5

An Autonomous Database (ADB) user with an instance wallet has left the company and they shared a database user id with other users when accessing ADB.

Other than changing the shared user password, what can the admin do to protect the instance?

A. Trust the user who left to not access the database.

B. Shutdown and restart the instance.

C. Rotate the instance wallet and share the new wallet with the remaining users.

D. Delete the user.

Correct Answer: C



Rotate Wallets for Autonomous Database



Wallet rotation lets you invalidate existing client certification keys for a database instance or for all Autonomous Database instances in a region.

You may want to rotate wallets for any of the following reasons:

- If your organization's policies require regular client certification key rotation.
- When a client certification key or a set of keys is suspected to be compromised.

There are two options for client certification key rotation:

- Per-database with **Instance Wallet** selected:
 - For the database whose certification key is rotated, any existing database specific instance wallets will be void. After you rotate a wallet you have to download a new wallet to connect to the database.
 - Regional wallets containing all database certification keys continue to work.
 - All user sessions are terminated for the database whose wallet is rotated. User session termination begins after wallet rotation completes, however this process does not happen immediately.
- Regional level with **Regional Wallet** selected:
 - For the region whose certification key is rotated, both regional and database specific instance wallets will be void. After you rotate a wallet you have to download new regional or instance wallets to connect to any database in the region.
 - All user sessions are terminated for the databases in the region whose wallet is rotated. User session termination begins after wallet rotation completes, however this process does not happen immediately.

[1Z0-931-21 Study Guide](#)

[1Z0-931-21 Exam Questions](#)

[1Z0-931-21 Braindumps](#)