



# 1Z0-931-22<sup>Q&As</sup>

Oracle Autonomous Database Cloud 2022 Professional

## Pass Oracle 1Z0-931-22 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/1z0-931-22.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





## QUESTION 1

You need to set up a notification for a scheduled shutdown of an Autonomous Database instance. What should you do?

- A. Add a "BEFORE SHUTDOWN ON DATABASE" trigger within the database
- B. Create a rule for the Oracle Cloud Infrastructure Event for "Autonomous Database STOP END"
- C. Create a notification alert using DBMS\_SNMP package
- D. Create an Oracle Cloud Infrastructure Alarm for Shutdown metric

Correct Answer: B

3. Fill out the dialog box:

- **DISPLAY NAME** : Provide a name, such as the event type that you will be choosing; in this lab, the event type will be Autonomous Database - Stop End.
- **DESCRIPTION** : Provide a description.

Under **Rule Conditions**

- **Condition**: Event Type
- **SERVICE NAME**: Database
- **EVENT TYPE** : Choose **Autonomous Database - Stop End** from the drop down menu.

Under **Actions**

- **ACTION TYPE**: Notifications
- **NOTIFICATIONS COMPARTMENT**: Choose your compartment.
- **TOPIC**: Choose the topic created earlier, **Database-Notification**.

## QUESTION 2

Which statement is true about connecting a marketplace Oracle Cloud Infrastructure (OCI) image to an Autonomous Database on Shared Infrastructure?

- A. The Autonomous Database must belong to a Network Security Group (NSG).
- B. A Private Endpoint is required to connect to the Autonomous Database on shared Exadata infrastructure.
- C. The marketplace OCI image does not support connecting to an Autonomous Database on Shared Infrastructure.
- D. The marketplace OCI image can be used with an Always Free Autonomous Database account.
- E. The Autonomous Database can only be in the same virtual cloud network (VCN) and subnet as the marketplace OCI image.

Correct Answer: E



### QUESTION 3

While provisioning a dedicated Autonomous Container Database, which backup retention can NOT be implemented?

- A. 60 days
- B. 7 days
- C. 15 days D. 120 days

Correct Answer: D

---

### QUESTION 4

What is the correct way to list all files in the default data pump directory?

- A. By executing `select * from DBMS_CLOUD.LIST_FILES(\\'DATA_PUMP_DIR\\');`
- B. You cannot list files in the default data pump directory from Autonomous Data Warehouse (ADW).
- C. Log onto ADW server and issue `ls -al` on the command line.
- D. By executing `select * from utl_file . list ( `DATA_PUMP_DIR ` ) ;`

Correct Answer: A

---

### QUESTION 5

During the provisioning of an Autonomous Database on Dedicated hardware, what does the Database Administrator need to select to determine where the Autonomous Database is created on the Dedicated infrastructure?

- A. the name or OCID of the Exadata infrastructure which was assigned by the the Fleet Administrator
- B. the Client Credentials wallet which is used to connect to the Autonomous Database
- C. the `\\'High Availability Container Database\\'` in which the Autonomous instance should run
- D. the Compartment of the Dedicated infrastructure as each compartment only runs 1 Dedicated environment
- E. the Listener endpoint where the Autonomous Database should register on

Correct Answer: C

[https://docs.oracle.com/en-us/iaas/Content/Database/Tasks/adb\\_dedicated\\_creating.htm](https://docs.oracle.com/en-us/iaas/Content/Database/Tasks/adb_dedicated_creating.htm)

[1Z0-931-22 PDF Dumps](#)

[1Z0-931-22 Exam Questions](#)

[1Z0-931-22 Braindumps](#)