



# 1Z0-931-22<sup>Q&As</sup>

Oracle Autonomous Database Cloud 2022 Professional

## Pass Oracle 1Z0-931-22 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/1z0-931-22.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

Which two methods can you use to create users and grant roles in Autonomous Database services? (Choose two.)

- A. through the Oracle Cloud Infrastructure service console
- B. through SQL/Developer s
- C. using DBMS\_CLOUD\_ADMIN package
- D. through SQLPlus

Correct Answer: BD

<https://oracle-base.com/articles/vm/oracle-cloud-autonomous-data-warehouse-adw-create-service> <https://docs.oracle.com/en/cloud/paas/autonomous-data-warehouse-cloud/user/connectsqlplus.html#GUID-A3005A6E-9ECF-40CB-8EFC-D1CFF664EC5A>

<https://docs.oracle.com/en/cloud/paas/autonomous-data-warehouse-cloud/user/connect-sqldev.html#GUID-FB611317-2999-4C8C-8A3B-B3B3D3C5B417>

<https://docs.oracle.com/en/cloud/paas/autonomous-data-warehouse-cloud/user/dbms-cloudadmin.html#GUID-D76B229E-781E-45C0-9F14-CAF30F9E6E3B>

"To create users in your database, connect to the database as the ADMIN user using any SQL client tool." <https://docs.oracle.com/en/cloud/paas/autonomous-data-warehouse-cloud/user/manage-userscreate.html#GUID-54CA837B-CD6A-4ED2-A960-5874535818CB>

---

**QUESTION 2**

Which statement is FALSE about Autonomous Database Maintenance on dedicated Exadata infrastructure?

- A. If a scheduled container database maintenance run cannot take place, Oracle will automatically reschedule the container database maintenance for the following quarter.
- B. Autonomous Exadata Infrastructure maintenance takes place at least once each quarter and is mandatory.
- C. You can change your container database maintenance window or reschedule a single container database maintenance run to ensure that your container database maintenance runs follow infrastructure maintenance within the same quarter.
- D. Autonomous Exadata Infrastructure maintenance runs are for infrastructure patching (including patching of the Exadata grid infrastructure code and operating systems updates), and include database patching.

Correct Answer: D

Exadata infrastructure maintenance takes place at least once each quarter and is mandatory.

If a scheduled container database maintenance run cannot take place (because of changes made to infrastructure maintenance scheduling or other reasons), Oracle will automatically reschedule the container database maintenance for the following quarter.



You can change your container database maintenance window or reschedule a single container database maintenance run to ensure that your container database maintenance runs follow infrastructure maintenance within the same quarter. Exadata infrastructure maintenance patches the Exadata infrastructure (including patching of the Exadata grid infrastructure code and operating systems updates), and DO NOT include database patching.

---

### QUESTION 3

Which is a difference between Autonomous Data Warehouse (ADW) and Autonomous Transaction Processing (ATP) databases?

- A. Only ATP manages optimizer statistics.
- B. Only ATP supports automatic backups.
- C. Only ADW uses columnar compression by default.
- D. Only ADW supports autoscaling.

Correct Answer: C

---

### QUESTION 4

Which three statements are true about procedures in the DBMS\_CLOUD package? (Choose three.)

- A. The DBMS\_CLOUD.PUT\_OBJECT procedure copies a file from Cloud Object Storage to the Autonomous Data Warehouse.
- B. The DBMS\_CLOUD.CREATE\_CREDENTIAL procedure stores CloudObject Storage credentials in the Autonomous Data Warehouse database.
- C. The DBMS\_CLOUD.VALIDATE\_EXTERNAL\_TABLE procedure validates the source files for an external table, generates log information, and stores the rows that do not match the format optionsspecified for the external table in a badfile table on Autonomous Data Warehouse.
- D. The DBMS\_CLOUD.DELETE\_FILE procedure removes the credentials file from the Autonomous Data Warehouse database.
- E. The DBMS\_CLOUD.CREATE\_EXTERNAL\_TABLE procedure creates anexternal table on files in the cloud. You can run queries on external data from the Autonomous Data Warehouse.

Correct Answer: BCE

#### DELETE\_FILE Procedure

This procedure removes the specified file from the specified directory on Autonomous Data Warehouse.

#### CREATE\_CREDENTIAL Procedure

This procedure stores Cloud Object Storage credentials in the Autonomous Data Warehouse database.

Use stored credentials for data loading or for querying external data residing in the Cloud.

#### PUTJDBJECT Procedure



This procedure copies a file from Autonomous Data Warehouse to the Cloud Object Storage. The maximum file size allowed in this procedure is 5 gigabytes (GB).

**VALIDATE\_EXTERNAL\_TABLE Procedure** This procedure validates the source files for an external table, generates log information, and stores the rows that do not match the format options specified for the external table in a badfile table on Autonomous Data Warehouse. **CREATE\_EXTERNAL\_TABLE Procedure** This procedure creates an external table on files in the Cloud. This allows you to run queries on external data from Autonomous Data Warehouse.

To use Data Pump from ADB, a credential identifying the Object Storage bucket to use must be defined with a `DBMS_CLOUD.CREATE_CREDENTIAL` function. This will allow ADB to access objects that are stored in the object store, including dump files. To export an existing database to prepare for import into ADB, use the XTP command and add the `exclude` option for database functionality that is not recommended or supported in ADB. This will prevent errors during the import process. This process is not automatic. And if the logs are not moved, you will receive a warning when running the MDB that the logs are not there. In this example, we're moving the `log import.log` to object store with a `DBMS_CLOUD.PUT_OBJECT` command.

**VALIDATE\_EXTERNAL\_TABLE Procedure** This procedure validates the source files for an external table, generates log information, and stores the rows that do not match the format options specified for the external table in a badfile table on Autonomous Database. The overloaded form enables you to use the `operation_id` parameter. **PUT\_OBJECT Procedure** This procedure copies a file from Autonomous Database to the Cloud Object Storage. The maximum file size allowed in this procedure is 5 gigabytes (GB). **DELETE FILE Procedure** This procedure removes the specified file from the specified directory on Autonomous Database. **CREATE\_EXTERNAL\_TABLE Procedure** This procedure creates an external table on files in the Cloud. This allows you to run queries on external data from Autonomous Database.

---

## QUESTION 5

When you are cloning from a backup, what is the earliest timestamp of the backup is allowed in Autonomous Database?

- A. 2 hours
- B. 30 minutes
- C. 1 hours
- D. 24 hours

Correct Answer: A

**Clone Sources** You can use a running database to create a clone. For databases running on shared Exadata infrastructure, you can also use a backup as the source of your clone. When using a backup, you can select a listed backup to clone from, or create a point-in-time clone. Point-in-time clones contain all data up to a specified timestamp. The specified timestamp must be in the past. Note When you create a clone from a backup, you must select a backup that is at least two hours old. <https://docs.oracle.com/en-us/iaas/Content/Database/Tasks/adbcloning.htm>

[Latest 1Z0-931-22 Dumps](#)

[1Z0-931-22 Study Guide](#)

[1Z0-931-22 Braindumps](#)