



1Z0-931-22^{Q&As}

Oracle Autonomous Database Cloud 2022 Professional

Pass Oracle 1Z0-931-22 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/1z0-931-22.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which statement is true about connecting an OCI compute instance to a Shared Autonomous Database?

- A. The Autonomous Database must be in the same VCN and Subnet as the Compute instance.
- B. The OCI compute instance does not support connecting to a Shared Autonomous Database.
- C. The Autonomous Database must belong to a Network Security Group (NSG).
- D. The OCI compute instance can be used with an Always-Free Autonomous Database account.
- E. A Private Endpoint is required to connect to the Shared-Autonomous Database.

Correct Answer: D

QUESTION 2

An Autonomous Database (ADB) user with an instance wallet has left the company and they shared a database user id with other users when accessing ADB.

Other than changing the shared user password, what can the admin do to protect the instance?

- A. Trust the user who left to not access the database.
- B. Shutdown and restart the instance.
- C. Rotate the instance wallet and share the new wallet with the remaining users.
- D. Delete the user.

Correct Answer: C



Rotate Wallets for Autonomous Database



Wallet rotation lets you invalidate existing client certification keys for a database instance or for all Autonomous Database instances in a region.

You may want to rotate wallets for any of the following reasons:

- If your organization's policies require regular client certification key rotation.
- When a client certification key or a set of keys is suspected to be compromised.

There are two options for client certification key rotation:

- Per-database with **Instance Wallet** selected:
 - For the database whose certification key is rotated, any existing database specific instance wallets will be void. After you rotate a wallet you have to download a new wallet to connect to the database.
 - Regional wallets containing all database certification keys continue to work.
 - All user sessions are terminated for the database whose wallet is rotated. User session termination begins after wallet rotation completes, however this process does not happen immediately.
- Regional level with **Regional Wallet** selected:
 - For the region whose certification key is rotated, both regional and database specific instance wallets will be void. After you rotate a wallet you have to download new regional or instance wallets to connect to any database in the region.
 - All user sessions are terminated for the databases in the region whose wallet is rotated. User session termination begins after wallet rotation completes, however this process does not happen immediately.

QUESTION 3

Which statement is FALSE about Oracle Data Safe?

- A. It supports only Autonomous Databases.
- B. It helps you assess the security of your cloud database configurations by analyzing database configurations.
- C. It helps you find and mask sensitive data in your database by inspecting the actual data in your database and its data dictionary.
- D. It evaluates user types, how users are authenticated, and the password policies assigned to each user.
- E. It helps you evaluate risks to data, assess user security, monitor user activity, and address data security compliance requirements.

Correct Answer: E

QUESTION 4

Which statement is true about the use of Access Control Lists (ACLs) with an Autonomous Database on Shared Infrastructure?

- A. When you restore a database, the existing ACLs are not overwritten by the restore.
- B. An ACL can only be set during the creation of an Autonomous Database on Shared Infrastructure.
- C. ACLs can only be used with private endpoints.



D. An ACL can be set up for an IP address or a virtual cloud network (VCN) but not both at the same time.

Correct Answer: A

QUESTION 5

The Oracle Autonomous Database dedicated Exadata infrastructure feature is based upon which Oracle Cloud resources?

- A. Oracle Machine Learning Zeppelin Notebook, Autonomous Exadata Infrastructure, Fleet Administrator, Database Administrator,
- B. Virtual Cloud Network, Compartments, Policies, Autonomous Exadata Infrastructure
- C. Autonomous Exadata Infrastructure, Autonomous Backup, Autonomous Container Database, Autonomous Database
- D. Fleet Administrator, Database Administrator, Database User, Autonomous Exadata Infrastructure

Correct Answer: C

Explanation: <https://docs.oracle.com/en/cloud/paas/autonomous-database/atpfg/components.html#GUID268B36E1-87D8-4649-A370-226E2AE3FC5C>

[1Z0-931-22 PDF Dumps](#)

[1Z0-931-22 Study Guide](#)

[1Z0-931-22 Braindumps](#)