



# 1Z0-996-22<sup>Q&As</sup>

Oracle Utilities Customer Cloud Service 2022 Implementation  
Professional

## Pass Oracle 1Z0-996-22 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/1z0-996-22.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

Which three statements are true about initial measurements, final measurements, and usage? (Choose three.)

- A. Usage is a synonym for bill determinants.
- B. The initial measurement data can be optionally stored in Raw format.
- C. A service point can have more than one initial measurement for the same period, but only one final measurement.
- D. Final measurements can be directly edited or updated by users or by automated processes as required.
- E. Usage is loaded in the application to generate final measurements.

Correct Answer: CDE

---

**QUESTION 2**

Which configuration steps are required to derive loss-adjusted kWh on a measuring component based on a loss factor value related to a service point?

- A. Configure a Service Point Characteristic Type and derivation algorithm, and then associate the algorithm to the Measuring Component Type and the characteristic value to the service point.
- B. Configure an SQL and the derivation algorithm, and then associate the algorithm to the Measuring Component Type and SQL to the service point.
- C. Configure a factor and derivation algorithm, and then associate the factor to the Measuring Component Type and the derivation algorithm to the service point.
- D. Configure a factor and derivation algorithm, and then associate both to the Measuring Component Type and service point.
- E. Configure a Service Point Characteristic Type, factor, derivation algorithm, and Service Quantity Identifier (SQL), and then associate the SQL and derivation algorithm to the Measuring Component Type and the characteristic value to the service point.

Correct Answer: B

---

**QUESTION 3**

In addition to sets of procedures, and careful handling instructions for hazardous or delicate materials, what can Specifications include to provide information about assets or other entities?

- A. Attributes
- B. Specifications
- C. Rules
- D. Conditions



Correct Answer: B

---

#### QUESTION 4

Which business object performs critical validations whenever initial measurements are loaded?

- A. D1-IMDRetry
- B. D1-GenericIMDMain
- C. D1-IMDSeeder
- D. D1-IMDPReVEE
- E. D1-IMDPeriod

Correct Answer: C

Reference: [https://docs.oracle.com/cd/E91711\\_01/PDF/MDM-SGG\\_Business\\_User\\_Guide\\_v2\\_2\\_0\\_2.pdf](https://docs.oracle.com/cd/E91711_01/PDF/MDM-SGG_Business_User_Guide_v2_2_0_2.pdf) (83)

---

#### QUESTION 5

How many Tenders can a Payment Event have?

- A. one Tender per Payment Event
- B. one Tender for each account the payment is applied to
- C. one Tender for each form of Payment submitted
- D. no Tenders for Payment Events, only Payment Segments
- E. no Tenders for Payment Events, only Payments

Correct Answer: C

Reference: [https://docs.oracle.com/cd/E18733\\_01/pdf/E18367\\_V2\\_01.pdf](https://docs.oracle.com/cd/E18733_01/pdf/E18367_V2_01.pdf) (103)

[1Z0-996-22 VCE Dumps](#)

[1Z0-996-22 Exam  
Questions](#)

[1Z0-996-22 Braindumps](#)