



1Z0-996-22^{Q&As}

Oracle Utilities Customer Cloud Service 2022 Implementation
Professional

Pass Oracle 1Z0-996-22 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/1z0-996-22.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

How should you configure the derived values that are relevant for a device?

- A. Configure the derived values on the Measuring Component for the measuring components to be defined on the device.
- B. Configure the derived values on the Measuring Component Type for the measuring components to be defined on the device.
- C. Configure the derived values on the Device Type for the derived values to be defined on the device.
- D. Configure the derived values on the Final Measurement Type for the measuring components to be defined on the device.

Correct Answer: D

QUESTION 2

What correctly describes the possible causes of price proration?

- A. change in Bill Factor only
- B. changes in Rate Schedule and Bill Factor only
- C. change in Rate Schedule only
- D. change in Rate Version Calculation Group only
- E. changes in Rate Version Calculation Group and Bill Factor only

Correct Answer: B

Reference: https://docs.oracle.com/cd/E18733_01/pdf/E18367_V3_01.pdf

QUESTION 3

At what stage in the initial measurement data (IMD) import process will the application of meter multipliers be performed?

- A. Critical Validation
- B. VEE
- C. Prepare for VEE
- D. post-VEE

Correct Answer: A

Reference: [https://docs.oracle.com/cd/E18729_01/pdf/E18293_01.pdf\(78\)](https://docs.oracle.com/cd/E18729_01/pdf/E18293_01.pdf(78))



QUESTION 4

Which statement is true about specifications?

- A. Specifications include the inspection history of an asset.
- B. Specifications apply only to assets and not to components.
- C. Specifications can include peer specifications.
- D. A single specification can only be used on one asset.

Correct Answer: D

QUESTION 5

Which relationship must be established with an external system or a service provider before creating bill determinants?

- A. Usage Transaction
- B. Usage Rule
- C. Usage Subscription
- D. Usage Factor

Correct Answer: C

Reference: https://docs.oracle.com/cd/E41155_03/library/CCB-MDM_Implementation_Guide_v12.1.pdf

[Latest 1Z0-996-22 Dumps](#)

[1Z0-996-22 PDF Dumps](#)

[1Z0-996-22 Study Guide](#)