



1Z0-996-22^{Q&As}

Oracle Utilities Customer Cloud Service 2022 Implementation
Professional

Pass Oracle 1Z0-996-22 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/1z0-996-22.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

Your client has installed scalar devices to measure the solar energy generated (Export) and the energy received (Import) from the National Grid. This data is stored in separate measuring components (registers).

The validation rules are generally the same for both measuring components, but there is one exception. The Negative Consumption check applies only to energy received (import). Which two are possible configurations resulting in the Negative Consumption rule being checked for energy received (import) only? (Choose two.)

- A. Modify the base VEE rule.
- B. Remove the Negative Consumption check from the VEE group.
- C. Create two different VEE groups.
- D. Use Eligibility Criteria.
- E. Use the Skip Flag in the VEE rule.

Correct Answer: CD

QUESTION 2

There has been a meter exchange at a service point in the past year.

How many installation events exist for the service point for the past year?

- A. Two
- B. One
- C. Four
- D. None
- E. Three

Correct Answer: B

Reference: https://docs.oracle.com/cd/E18733_01/pdf/E18368_V2_01.pdf

QUESTION 3

New: An electric utility is starting an Advanced Meter Infrastructure (AMI) roll-out for their residential customers. The initial plan is to roll out devices from their manufacturer with potentially three different device models. The customer has not decided what head-end systems they will use to communicate with these devices. Based on the customer's initial roll-out strategy, the devices will have to be configured consistently to support existing tariffs for billing.

Which is a valid consideration to determine the setup of device type administrative data for this implementation?

- A. billing usage rules



- B. the model number
- C. the device's date of manufacturer
- D. valid head-end systems, valid device configuration types, and the electricity service type

Correct Answer: C

QUESTION 4

Throughout its lifecycle, an asset's disposition changes as it is moved between locations and service statuses.

Which are valid asset dispositions?

- A. Receiving; Installed; Storage; Retired
- B. In Receipt; In Field; In Stores; Retired
- C. In Receipt; Installed; In Stores; Retired
- D. Receiving; In Field; Storage; Retired

Correct Answer: B

QUESTION 5

Which usage rule would be used to retrieve scalar measurements and convert the total from one unit of measure to another?

- A. Get Scalar Details and Math
- B. Get Scalar Details and Apply Formula
- C. A custom set of usage rules must be written.
- D. Get Scalar Details and Axis Conversion

Correct Answer: D

Reference: https://docs.oracle.com/cd/E18729_01/pdf/E18187_01.pdf

[1Z0-996-22 Study Guide](#)

[1Z0-996-22 Exam Questions](#)

[1Z0-996-22 Braindumps](#)