



1Z0-996^{Q&As}

Oracle Utilities Customer Cloud Service 2019 Implementation Essentials

Pass Oracle 1Z0-996 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/1z0-996.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

When the source of a Financial Transaction is canceled, what does it result in?

- A. The source Financial Transaction is deleted and a new reversal Financial Transaction is created.
- B. A new reversal Financial Transaction is created.
- C. The source Financial Transaction status is changed to "Canceled".
- D. The source Financial Transaction is deleted.
- E. No change occurs.

Correct Answer: A

QUESTION 2

Your client has the following requirements:

Many customers are installing their own solar electrical generation equipment. When these customers generate more electricity than required for their own use, the surplus can be exported back to the power grid.

In order to measure this generation, we have installed special scalar devices. These devices have separate registers to measure the energy generated (export) and the energy received (import) from the National Grid. Both reads will be stored in kWh, but the import is subtractive and export is consumptive.

What solution should you choose to configure the measuring component types for these specific requirements?

- A. Create two service points: one for subtractive import and the other for consumptive export.
- B. Create one new measuring component type for creating two measuring components (one for import and the other for export) that will be linked to one scalar device.
- C. Create one new measuring component type for creating a new measuring component that will be linked to two different scalar devices (one for import and the other for export).
- D. Create two new measuring component types (one for subtractive import and the other for consumptive export) to enable the creation of two measuring components that will be linked to one scalar device.

Correct Answer: D

QUESTION 3

Which configuration steps are required to derive loss-adjusted kWh on a measuring component based on a loss factor value related to a service point?

- A. Configure a Service Point Characteristic Type and derivation algorithm, and then associate the algorithm to the Measuring Component Type and the characteristic value to the service point.
- B. Configure an SQI and the derivation algorithm, and then associate the algorithm to the Measuring



Component Type and SQL to the service point.

C. Configure a factor and derivation algorithm, and then associate the factor to the Measuring Component Type and the derivation algorithm to the service point.

D. Configure a factor and derivation algorithm, and then associate both to the Measuring Component Type and service point.

E. Configure a Service Point Characteristic Type, factor, derivation algorithm, and Service Quantity Identifier (SQI), and then associate the SQI and derivation algorithm to the Measuring Component Type and the characteristic value to the service point.

Correct Answer: B

QUESTION 4

What Service Order activity types does the application include?

A. Start Service; Stop Service; Cut for Non-Payment; Reconnect Service for Payment; Exchange Meter; Move-In/Move-Out Service

B. Start Service; Stop Service; Install Meter; Remove Meter; Exchange Meter; Move-In/Move-Out Service

C. Enable Service; Disable Service; Install Meter; Remove Meter; Exchange Meter; Back-to-Back Service

D. Enable Service; Disable Service; Cut for Non-Payment; Reconnect Service for Payment; Exchange Meter; Back-to-Back Service

Correct Answer: D

Reference: https://docs.oracle.com/cd/E91711_01/PDF/MDM-SGG_Business_User_Guide_v2_2_0_2.pdf

(162)

QUESTION 5

Which three statements are true about the different types of measuring components? (Choose three.)

A. Seconds-per-interval (SPI) is one of the attributes of scalar measuring components.

B. Only physical measuring components reference a device configuration.

C. The terms register and channel are synonyms for measuring component.

D. The measuring component types are physical, standalone, scratchpad, and TOU.

E. Scalar measuring components contain a single measurement for an arbitrary period of time.

Correct Answer: CDE

Reference: https://docs.oracle.com/cd/E18729_01/pdf/E18293_01.pdf (36)



VCE & PDF

Pass4itSure.com

<https://www.pass4itsure.com/1z0-996.html>

2024 Latest pass4itsure 1Z0-996 PDF and VCE dumps Download

[Latest 1Z0-996 Dumps](#)

[1Z0-996 Practice Test](#)

[1Z0-996 Study Guide](#)