



1Z0-996^{Q&As}

Oracle Utilities Customer Cloud Service 2019 Implementation Essentials

Pass Oracle 1Z0-996 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/1z0-996.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

What determines an Account's Balance?

- A. the sum of all the Financial Transactions linked directly to the service agreements related to the account
- B. the amount recorded in the "Balance Due" field on an account
- C. the logic defined in a plug-in spot on the Installations Option
- D. the sum of all the balances recorded in the "Balance Due" field on each service agreement related to the account
- E. the sum of all the Financial Transactions linked directly to the account

Correct Answer: E

QUESTION 2

The base package usage transaction business object is represented by D2-UsageTransaction. The usage calculation engine or process drives the specifics of the usage to be calculated on this business object.

Based on this, which three configuration areas will have an impact on the usage calculation process? (Choose three.)

- A. VEE rule
- B. TOU map
- C. Usage Rule
- D. Factor Override

Correct Answer: BCD

Reference: https://docs.oracle.com/cd/E38983_04/PDF/MDM_Configuration_Guide_v2_1_0_3.pdf

QUESTION 3

How should you configure the derived values that are relevant for a device?

- A. Configure the derived values on the Measuring Component for the measuring components to be defined on the device.
- B. Configure the derived values on the Measuring Component Type for the measuring components to be defined on the device.
- C. Configure the derived values on the Device Type for the derived values to be defined on the device.
- D. Configure the derived values on the Final Measurement Type for the measuring components to be defined on the device.

Correct Answer: D

**QUESTION 4**

How many derived values can a final measurement have in addition to the primary measured value?

- A. 2
- B. 15
- C. 10
- D. 5

Correct Answer: C

Reference: https://docs.oracle.com/cd/E18729_01/pdf/E18293_01.pdf (80)

QUESTION 5

Your client has installed scalar devices to measure the solar energy generated (Export) and the energy received (Import) from the National Grid. This data is stored in separate measuring components (registers).

The validation rules are generally the same for both measuring components, but there is one exception. The Negative Consumption check applies only to energy received (import). Which two are possible configurations resulting in the Negative Consumption rule being checked for energy received (import) only? (Choose two.)

- A. Modify the base VEE rule.
- B. Remove the Negative Consumption check from the VEE group.
- C. Create two different VEE groups.
- D. Use Eligibility Criteria.
- E. Use the Skip Flag in the VEE rule.

Correct Answer: CD

[1Z0-996 VCE Dumps](#)

[1Z0-996 Study Guide](#)

[1Z0-996 Braindumps](#)