



1Z0-996^{Q&As}

Oracle Utilities Customer Cloud Service 2019 Implementation Essentials

Pass Oracle 1Z0-996 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/1z0-996.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

Usage transactions can contain date breaks. Which is used to supply date breaks?

- A. the Deferred Monitor Calculation Algorithm
- B. the Usage Subscription Type
- C. the requesting system or user input
- D. the Usage Subscription BO

Correct Answer: B

QUESTION 2

Which usage rule would be used to retrieve scalar measurements and convert the total from one unit of measure to another?

- A. Get Scalar Details and Math
- B. Get Scalar Details and Apply Formula
- C. A custom set of usage rules must be written.
- D. Get Scalar Details and Axis Conversion

Correct Answer: D

Reference: https://docs.oracle.com/cd/E18729_01/pdf/E18187_01.pdf

QUESTION 3

What can cause multiple bill lines for a rate component to be produced in a bill calculation header?

- A. changes in Rate Schedule and Bill Factor
- B. changes in Rate Version Calculation Group and Bill Factor
- C. change in Bill Factor
- D. change in Rate Version Calculation Group
- E. change in Rate Schedule

Correct Answer: A

QUESTION 4



Your client has the following requirements:

Many customers are installing their own solar electrical generation equipment. When these customers generate more electricity than required for their own use, the surplus can be exported back to the power grid.

In order to measure this generation, we have installed special scalar devices. These devices have separate registers to measure the energy generated (export) and the energy received (import) from the National Grid. Both reads will be stored in kWh, but the import is subtractive and export is consumptive.

What solution should you choose to configure the measuring component types for these specific requirements?

- A. Create two service points: one for subtractive import and the other for consumptive export.
- B. Create one new measuring component type for creating two measuring components (one for import and the other for export) that will be linked to one scalar device.
- C. Create one new measuring component type for creating a new measuring component that will be linked to two different scalar devices (one for import and the other for export).
- D. Create two new measuring component types (one for subtractive import and the other for consumptive export) to enable the creation of two measuring components that will be linked to one scalar device.

Correct Answer: D

QUESTION 5

How many derived values can a final measurement have in addition to the primary measured value?

- A. 2
- B. 15
- C. 10
- D. 5

Correct Answer: C

Reference: https://docs.oracle.com/cd/E18729_01/pdf/E18293_01.pdf (80)

[Latest 1Z0-996 Dumps](#)

[1Z0-996 Practice Test](#)

[1Z0-996 Study Guide](#)