



# 200-001<sup>Q&As</sup>

Implementing Cisco Video Network Devices (VIVND)

**Pass home 200-001 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/200-001.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by home  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

In an ISR Cisco Video Management and Storage System, what is the maximum storage capacity allowed per module?

- A. 1 TB per module
- B. 2 TB per module
- C. 3 TB per module
- D. 500 MB per module
- E. 750 MB per module
- F. 850 MB per module

Correct Answer: A

---

### QUESTION 2

Refer to Exhibit: Which two of these can cause the phone status error icon that is shown in the exhibit? (Choose two.)



- A. The Cisco Unified Communications Manager IM and Presence Service is not available.
- B. The username and password in Cisco Jabber phone services are misconfigured.
- C. The Cisco Jabber initial audio and video settings need to be set.
- D. There is no DN configured for the Cisco Unified Client Services Framework in Cisco Unified Communications Manager.



E. The Cisco Jabber does not have the correct phone button template and hence cannot register to the Cisco Unified Communications Manager.

F. The called user presence status is unknown.

Correct Answer: BD

---

### QUESTION 3

Which two of these are considered to be provisioning and scheduling management tools in a Cisco TelePresence environment? (Choose two.)

- A. Cisco TelePresence Manager
- B. Cisco Video Surveillance Operations Manager
- C. Cisco TelePresence Management Suite
- D. Cisco TelePresence Multipoint Control Unit
- E. Cisco Video Surveillance Management Server

Correct Answer: AC

---

### QUESTION 4

Refer to the exhibit.



The screenshot shows the Cisco TANDBERG Codec C60 configuration page. The top navigation bar includes Diagnostics, Configuration, Call Control, and Maintenance. The user is logged in as 'admin'. The main content area is divided into two sections: 'System Information' and 'Sign In Information'. The 'System Information' section is further divided into 'General' and 'SIP' information. The 'General' section includes fields for System name, Software version, Product, Serial number, IP address, MAC address, Valid release key, and Installed options. The 'SIP' section includes fields for Number, ID, Gatekeeper, Status, URI, Proxy, and Status. The 'Sign In Information' section includes fields for Last successful sign in, Password expires in, and Unsuccessful authorization attempts since last sign in. A QR code is visible in the bottom right corner of the page.

System Information	
<b>General</b>	
System name:	c60.dca222.test
Software version:	TC5.1.3.292001
Product:	TANDBERG Codec C60
Serial number:	F1AD46D00032
IP address:	172.29.24.120
MAC address:	00:50:60:0D:29:37
Valid release key:	Yes
Installed options:	NaturalPresenter, MultiSite, PremiumResolution
<b>SIP</b>	
Number:	52924116
ID:	c60@dca222.test
Gatekeeper:	
Status:	
URI:	sip:c60@dca222.test
Proxy:	172.31.222.70
Status:	Registered

Sign In Information	
Last successful sign in:	Thu Aug 9 12:31:06 2012
Unsuccessful authorization attempts since last sign in:	0
Password expires in:	Never

You have just finished installing a 65-inch dual profile system in a multipurpose room. After powering up the entire system, only one display is used. Using the information in the exhibit, why is the second display not displaying anything from the system?

- A. The Cisco TelePresence profile systems do not support dual display.
- B. The display is not powered on.
- C. The dual display option key has not been input into the codec.
- D. The codec has the appropriate option keys installed, so either the display is not cabled correctly, the codec is configured incorrectly, or there is no input being sent to the display.

Correct Answer: C

## QUESTION 5

Which two issues does utilizing an IP network storage solution for IP video surveillance help overcome? (Choose two.)

- A. analog to IP conversion
- B. large, expandable storage space
- C. physical security
- D. scalability
- E. faster bit rate for storage



Correct Answer: BD

[200-001 VCE Dumps](#)

[200-001 Study Guide](#)

[200-001 Braindumps](#)



To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

## Try our product !

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

Instant Download After Purchase

24x7 Customer Support

Average 99.9% Success Rate

More than 800,000 Satisfied Customers Worldwide

Multi-Platform capabilities - [Windows](#), [Mac](#), [Android](#), [iPhone](#), [iPod](#), [iPad](#), [Kindle](#)


We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

<https://www.pass4itsure.com/allproducts>

## Need Help

Please provide as much detail as possible so we can best assist you.

To update a previously submitted ticket:



 <p><b>One Year Free Update</b> Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p>	 <p><b>Money Back Guarantee</b> To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p>	 <p><b>Security &amp; Privacy</b> We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information &amp; peace of mind.</p>
---	---	--

Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © pass4itsure, All Rights Reserved.