

200-301^{Q&As}

Implementing and Administering Cisco Solutions (CCNA) (Include Newest Simulation Labs)

Pass Cisco 200-301 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass4itsure.com/200-301.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Cisco Official Exam Center

Instant Download After Purchase

- 100% Money Back Guarantee
- 😳 365 Days Free Update
- 800,000+ Satisfied Customers





QUESTION 1

When configuring an EtherChannel bundle, which mode enables LACP only if a LACP device is detected?

A. Passive

- B. Desirable
- C. On
- D. Auto
- E. Active

Correct Answer: A

The LACP is Link Aggregation Control Protocol. LACP is an open protocol, published under the 802.3ad.

The modes of LACP are active, passive or on. The side configured as "passive" will waiting the other side that should an Active for the Etherchannel to be established. PAgP is Port-Aggregation Protocol. It is Cisco proprietary protocol. The

mode are On, Desirable or Auto. Desirable ?Auto will establish an EtherChannel.

An example of how to configure an Etherchannel:

SwitchFormula1>enable

SwitchFormula1#configure terminal

SwitchFormula1(config)# interface range f0/5 -14

SwitchFormula1(config-if-range)# channel-group 13 mode ?

active Enable LACP unconditionally

auto Enable PAgP only if a PAgP device is detected

desirable Enable PAgP unconditionally

on Enable Etherchannel only

passive Enable LACP only if a LACP device is detected

QUESTION 2

Which option is the main function of congestion management?

- A. discarding excess traffic
- B. queuing traffic based on priority
- C. classifying traffic



D. providing long-term storage of buffered data

Correct Answer: B

QUESTION 3

By default, which virtual MAC address does HSRP group 14 use?


- A. 00:05:5e:19:0c:14
- B. 00:05:0c:07:ac:14
- C. 04:15:26:73:3c:0e
- D. 00:00:0c:07:ac:0e
- Correct Answer: D

QUESTION 4

DRAG DROP

Drag and drop the AAA terms from the left onto the description on the right.

Select and Place:



Correct Answer:



accounting
СоА
authorization
authentication

QUESTION 5

A hospital network needs to upgrade their Cisco FMC managed devices and needs to ensure that a disaster recovery process is in place. What must be done in order to minimize downtime on the network?

- A. Configure a second circuit to an ISP for added redundancy.
- B. Keep a copy of the current configuration to use as backup.
- C. Configure the Cisco FMCs for failover.
- D. Configure the Cisco FMC managed devices for clustering.

Correct Answer: C

Latest 200-301 Dumps 200-301 VCE Dumps

200-301 Practice Test