



200-710^{Q&As}

Zend Certified Engineer

Pass Zend-Technologies 200-710 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/200-710.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Zend-Technologies Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

Given the following code, what will the output be:

```
trait MyTrait {  
    private $abc = 1;  
    public function increment() {  
        $this->abc++;  
    }  
    public function getValue() {  
        return $this->abc;  
    }  
}  
  
class MyClass {  
    use MyTrait;  
    public function incrementBy2() {  
        $this->increment();  
        $this->abc++;  
    }  
}  
  
$c = new MyClass;  
$c->incrementBy2();  
var_dump($c->getValue());
```

- A. Fatal error: Access to private variable MyTrait::\$abc from context MyClass
- B. Notice: Undefined property MyClass::\$abc
- C. int(2)
- D. int(3)
- E. NULL

Correct Answer: D

**QUESTION 2**

An HTML form contains this form element:

When this form is submitted, the following PHP code gets executed:

```
move_uploaded_file(
$_FILES[\'myFile\'][\'tmp_name\'],
\'uploads/\' . $_FILES[\'myFile\'][\'name\']
);
```

Which of the following actions must be taken before this code may go into production? (Choose 2)

- A. Check with `is_uploaded_file()` whether the uploaded file `$_FILES[\'myFile\'][\'tmp_name\']` is valid
- B. Sanitize the file name in `$_FILES[\'myFile\'][\'name\']` because this value is not consistent among web browsers
- C. Check the charset encoding of the HTTP request to see whether it matches the encoding of the uploaded file
- D. Sanitize the file name in `$_FILES[\'myFile\'][\'name\']` because this value could be forged
- E. Use `$HTTP_POST_FILES` instead of `$_FILES` to maintain upwards compatibility

Correct Answer: BD

QUESTION 3

Which interfaces could class C implement in order to allow each statement in the following code to work? (Choose 2)

```
$obj = new C();
foreach ($obj as $x => $y) {
echo $x, $y;
}
```

- A. Iterator
- B. ArrayAccess
- C. IteratorAggregate
- D. ArrayObject

Correct Answer: AC

QUESTION 4



What SimpleXML function is used to parse a file?

- A. simplexml_load_file()
- B. simplexml_load_string()
- C. load()
- D. loadFile()
- E. loadXML()
- F. None of the above.

Correct Answer: A

QUESTION 5

FILL BLANK

What is the output of the following code?

```
$a = [1 => 'Apple', 3 => 'Cactus', 5 => 'Elderflower'] +  
      ['Banana', 'Dragon Fruit', 'Fig'];  
echo count($a);
```

Correct Answer: 5

[Latest 200-710 Dumps](#)

[200-710 VCE Dumps](#)

[200-710 Exam Questions](#)