



# 200-901<sup>Q&As</sup>

Developing Applications and Automating Workflows using Cisco Platforms (DEVASC)

## Pass Cisco 200-901 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/200-901.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco  
Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers



**QUESTION 1**

Why would a developer compare a current version of code to a previous version?

- A. to provide the single source of truth
- B. to troubleshoot code failures
- C. to track who made a change
- D. to aid in collaboration

Correct Answer: B

---

**QUESTION 2**

Which protocol runs over TCP port 830?

- A. NETCONF
- B. Telnet
- C. RESTCONF
- D. HTTP

Correct Answer: A

---

**QUESTION 3**

A development team needs to containerize an application named `custapp4o3p2r6d3s6w7x6t9`. A Dockerfile has been created and now the docker build command must be run using the current folder to find the Dockerfile, build the image and create a local repository named `custapp4d5c-repo` that points to that image. Which command must be used?

- A. `docker build custapp4d5c-repo Dockerfile.`
- B. `docker build -t acustapp4d5c-repo Dockerfile.txt`
- C. `docker build custapp4d5c-repo -f Dockerfile.txt`
- D. `docker build -t custapp4d5c-repo -f Dockerfile.`

Correct Answer: D

Tag an image (-t, --tag) Specify a Dockerfile (-f, --file)

Source: <https://docs.docker.com/engine/reference/commandline/build/>

---



## QUESTION 4

Refer to the exhibits.

### List Messages

Lists all messages in a room. Each message will include content attachments if present.

The list sorts the messages in descending order by creation date.

Long result sets will be split into [pages](#).

```
GET /v1/messages
```

### Query Parameters

**roomId**  
string **Required**  
List messages in a room, by ID.

**mentionedPeople**  
array  
List messages with these people mentioned, by ID.  
Use me as a shorthand for the current API user.

**before**  
string  
List messages sent before a date and time.

**beforeMessage**  
string  
List messages sent before a message, by ID.

**max**  
number  
Limit the maximum number of messages in the response.  
Default: 50

Try it Example

```
GET /v1/messages{?roomId,mentionedPeople,before,beforeMessage}
```

### Header

Authorization ☒ Use personal access token

**Bearer** .....  
*This limited-duration personal access token is hidden for your security.*

### Query Parameters

<b>roomId</b> <b>Required</b>	e.g. Y2lzY29zcGFyazovL3VzL1JPT00vYmJj
<b>mentionedPeople</b>	e.g. Y2lzY29zcGFyazovL3VzL1BFT1BMRS6
<b>before</b>	e.g. 2016-04-2T19:01:55:966Z
<b>beforeMessage</b>	e.g. Y2lzY29zcGFyazovL3VzL01FU1NBROU
<b>max</b>	e.g. 100

Run

```
bash-3.2$ curl -H "Content-Type: application/json" -H "Authorization: Fj2zzykEa091ic9GK2j8LtE1Hk1H6oRHPQdw1pAT60I7NDThhNwZl2B5pqMg14kK_b9ei59ISAClY7-NarA-2n9H-tGgt-SxQ39iDejgcs" -i -X POST -d '{"roomId": "Y2geK53sjEknosrC7SwQ5ZGL99pHgIuScB7DfNvU8Xx4wDKLiPORcEkryAnM3QmK9LQZsP0G4", "text": "test2"}' https://api.ciscospark.com/v1/messages
```

```
HTTP/1.1 401 Unauthorized
Via: 1.1 linkerD
TrackingID: ROUTER_5E0FDC8C-EB6F-01BB-00EF-806BF1BD00EF
Date: Sat, 04 Jan 2020 00:30:04 GMT
Server: Redacted
Content-Length: 267
Content-Type: application/json
Strict-Transport-Security: max-age=63072000; includeSubDomains; preload

{"message": "The request requires a valid access token set in the Authorization request header.", "errors": [{"description": "The request requires a valid access token set in the Authorization request header."}], "trackingId": "ROUTER_5E0FDC8C-EB6F-01BB-00EF-806BF1BD00EF"}

bash-3.2$
```

A developer is troubleshooting an API with the given API documentation and cURL command. What is the cause of this



problem?

- A. The authorization header is missing or incomplete.
- B. The request body is missing or incomplete.
- C. The API token specified is expired.
- D. The user is not allowed to post messages from their account.

Correct Answer: A

Not B because you would get a 400 error.

Not C since the token in the page showed is always valid for 12h since last page refresh (so showing the page somehow implies the usage of a valid token). Not D since that would produce another type of error about insufficient privileges

for that user (but authorization to use the API would occur correctly), like a 403 forbidden or something similar.

---

#### QUESTION 5

In which situation would an edge computing solution be used?

- A. where low latency is needed
- B. where high CPU throughput is needed
- C. where fast memory is needed
- D. where high disk space is needed

Correct Answer: A

[200-901 VCE Dumps](#)

[200-901 Practice Test](#)

[200-901 Exam Questions](#)