



201-450^{Q&As}

LPIC-2 Exam 201 Part 1 of 2 version 4.5

Pass Lpi 201-450 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/201-450.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Lpi Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

Why is the root file system mounted read-only during boot and remounted with write permission later on?

- A. Because if problems with the root file system are detected during the boot, fsck can be run, without risk of damage.
- B. Because this way crackers cannot collect information about root with boot sniffers.
- C. To avoid writing to the disk, unless the root password is known.
- D. To avoid other operating systems overwriting the Linux root partition.
- E. Because the disk has its own write protection that cannot be changed by the operating system.

Correct Answer: A

QUESTION 2

Due to extreme system use, a Linux system requires some additional swap space. To initialize 5GB of additional swap space, which combination of commands should be used?

- A. `dd if=/dev/zero of=/tmp/swapfile bs=1024 count=5120000; mkswap /tmp/swapfile; mount /tmp/swapfile`
- B. `dd if=/dev/zero of=/tmp/swapfile bs=1024 count=5120000; swapon /tmp/swapfile`
- C. `dd if=/dev/zero of=/tmp/swapfile bs=1024 count=5120000; mkswap /tmp/swapfile; swapon /tmp/ swapfile`
- D. `touch -5G /tmp/swapfile; swapon /tmp/swapfile`
- E. `mkswap /tmp/swapfile 512000; swapon /tmp/swapfile`

Correct Answer: C

QUESTION 3

When is historical data of resource usage important? (Select THREE correct answers.)

- A. Predicting when resources will need to be increased.
- B. Selecting a computer vendor.
- C. Identifying processes killed during out of memory occurrences.
- D. Diagnosing capacity problems.
- E. Troubleshooting a software problem.

Correct Answer: ADE



QUESTION 4

In case the file containing the Linux kernel is lost, what happens when the system is booting?

- A. The system starts normally since the bootloader copies the kernel to the master boot record of the hard disk.
- B. Instead of the kernel, the initramfs is loaded and instructed to mount the root filesystem and reinstall the kernel from the original package or from source.
- C. The bootloader mounts the root filesystem read-only and launches /bin/sh directly in order to allow the administrator to reinstall the kernel.
- D. Without a kernel a system cannot boot and, depending on the bootloader, an error is displayed.

Correct Answer: D

QUESTION 5

Which of the following is a side effect of extensive usage of swap space?

- A. The root filesystem may become full because swap space is always located on the system root partition.
- B. The overall system performance may degrade because of heavy hard disk use and memory reorganization.
- C. Since processes always exist completely in either RAM or swap, regular RAM may become unused if the kernel does not move processes back from the swap space to memory.
- D. The memory may become fragmented and slow down the access to memory pages. However, this can be kept to a minimum by the regular use of memfrag -d.
- E. Applications need to restart because their virtual memory addresses change to reflect memory relocation to the swap address area.

Correct Answer: B

[201-450 PDF Dumps](#)

[201-450 VCE Dumps](#)

[201-450 Braindumps](#)