



201^{Q&As}

TMOS Administration

Pass F5 201 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/201.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by F5 Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

How should a BIG-IP Administrator control the amount of traffic that a newly enabled pool member receives?

- A. set the Slow Ramp Time
- B. set a Connection Limit
- C. set the Priority Group Activation
- D. set a Health Monitor

Correct Answer: A

Explanation: Slow Ramp Time

Specifies the duration during which the system sends less traffic to a newly-enabled pool member. The amount of traffic is based on the ratio of how long the pool member has been available compared to the slow ramp time, in seconds.

Once the pool member has been online for a time greater than the slow ramp time, the pool member receives a full proportion of the incoming traffic. Slow ramp time is particularly useful for the least connections load balancing mode.

Setting this to a nonzero value can cause unexpected Priority Group behavior, such as load balancing to a low-priority member even with enough high-priority servers.

QUESTION 2

A BIG-IP Administrator remotely connects to the appliance via out-of-band management using `https://mybigip.mycompany.net`. The management portal has been working all week. When the administrator attempts to login today, the connection times out. Which two aspects should the administrator verify? (Choose two)

- A. DNS is properly resolving the FQDN of the device.
- B. The device is NOT redirecting them to http.
- C. The administrator has the latest version of the web browser.
- D. Packet Filters on the device are blocking port 80.
- E. The administrator has TCP connectivity to the device.

Correct Answer: AE

QUESTION 3

A BIG-IP Administrator finds the following log entry after a report of user issues connecting to a virtual server:

```
01010201: 2: Inet port exhaustion on 10.70.110.112 to 192.28.123.250:80 (proto 6)
```

How should the BIG-IP Administrator modify the SNAT pool that is associated with the virtual server?



- A. Remove the SNAT pool and apply SNAT Automap.
- B. Remove an IP address from the SNAT pool.
- C. Add an address to the SNAT pool.
- D. Increase the timeout of the SNAT addresses.

Correct Answer: C

QUESTION 4

A BIG-IP Administrator wants to add a new Self IP to the BIG-IP device. Which item should be assigned to the new Self IP being configured?

- A. Interface
- B. Route
- C. VLAN
- D. Trunk

Correct Answer: C

QUESTION 5

As a part of the Setup Utility, the administrator sets the host name for the BIG IP. What would be the result if the two systems in a redundant pair were set to the same host name?

- A. Host names do not matter in redundant pair communication.
- B. In a redundant pair, the two systems will always have the same host name. The parameter is synchronized between the systems.
- C. The first time the systems are synchronized the receiving system will be assigned the same self-IP addresses as the source system.
- D. When the administrator attempts to access the configuration utility using the host name, they will always connect to the active system.

Correct Answer: C

[Latest 201 Dumps](#)

[201 Study Guide](#)

[201 Braindumps](#)