



# 210-015<sup>Q&As</sup>

VCE Vblock System Deployment and Implementation –Virtualization

## Pass VCE 210-015 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/210-015.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by VCE Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

Your vSphere environment has two virtual machines configured to use the same VLAN and subnet. The hosts in the cluster are set up to use one DV switch. You want to ensure that the VMs communicate properly on the network and with each other regardless which host they use.

Which action will accomplish this task?

- A. Consult with your network team to ensure that the ESXi hosts use common routers and switches in your data center environment.
- B. Ensure the ESXi hosts load balancing policy is configured to route based on source mac hash.
- C. Ensure the ESXi hosts load balancing policy is configured to route based on the originating virtual port ID
- D. The vNic DVPort group must be configured to be the correct setting on both virtual machines for the VLAN they are using.

Correct Answer: D

---

**QUESTION 2**

You are adding an NFS volume to an ESXi host. Which three steps are required? (Choose three.)

- A. Create a vmkernel interface on the ESXi host.
- B. Create a network label to identify the connector.
- C. Choose the NFS folder name in the format volmountsdatastore1.
- D. Choose Network File System as the storage type.
- E. Assign a VSAN to the vmkernel interface.

Correct Answer: ACD

---

**QUESTION 3**

Which vCenter feature is used by vCenter Update Manager (VUM) when patching ESXi servers?

- A. vSphere DRS
- B. Fault Tolerance
- C. Storage vMotion
- D. vSphere HA

Correct Answer: A

**QUESTION 4**

Click the Exhibit button.

After scanning a host for compliance in VMware Update Manager you receive the message shown in the exhibit.

**Host Upgrade Scan Messages for the Cisco Nexus 1000V network switch****Host Upgrade Scan Message**

```
The upgrade does not contain any Cisco Nexus 1000V software package that is compatible with the Cisco Nexus 1000V software package on the host. Upgrading the host will remove the feature from the host.
```

What is the reason for the message?

- A. The VEM VIB in the ESXi 5.x upgrade image is not compatible with the version of the VSM.
- B. A VEM VIB is not available in the ESXi 5.x upgrade image.
- C. The host and the image do not contain VEM VIBs, but the host is still listed in vCenter Server as managed by Cisco Nexus 1000V.
- D. There was a problem with determining compatibility between the VEM VIB in the ESXi 5.x upgrade image and the VSM.

Correct Answer: B

---

**QUESTION 5**

During a deployment of a vBlock System 320, the customer has requested the installation of multiple third-party management virtual machines in the AMP. After multiple days of monitoring and data collection, the vCenter server and its respective database server stop responding.

What would cause the problem?

- A. Thin provisioned disk format caused the data store to run out of space.
- B. The NFS.HeartbeatTimeout parameter was set too high.
- C. The vCenterVirtualCenter.VimPasswordExpirationInDays parameter expired.



D. The third-party applicaton services have stopped responding.

Correct Answer: A

[Latest 210-015 Dumps](#)

[210-015 PDF Dumps](#)

[210-015 VCE Dumps](#)