

220-010^{Q&As}

VCE Vblock Systems Administration Exam

Pass VCE 220-010 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.pass4itsure.com/220-010.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by VCE Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers





https://www.pass4itsure.com/220-010.html

2024 Latest pass4itsure 220-010 PDF and VCE dumps Download

QUESTION 1

Which	Vblock® System	logs are sent to the	nis server to facilitate	reporting alerts and	d troubleshooting?

- A. syslog server
- B. vCenter server
- C. Unisphere server
- D. SQL server

Correct Answer: D

QUESTION 2

An application owner complains about poor application performance since the application was moved to the Vblock® System 340. Your Vmware administrator determines that the storage used for this application has a very high latency. Which step would you take to gather information from your storage array to send to EMC technical support?

- A. Generate a diagnostic file for each storage processor in Unisphere.
- B. Generate a diagnostic file for each block pool in Unisphere.
- C. Create a support bundle for each RAID group in Unisphere.
- D. Create a support bundle for the FAST cache in Unisphere.

Correct Answer: A

QUESTION 3

You are configuring UCS backup operations to send data from a remote office to a central repository, but the internal firewall is preventing these jobs from succeeding.

Which three protocols must be allowed through the firewall? (Choose three)

- A. HTTP
- B. SCP
- C. FTP
- D. RSH
- E. TFTP

Correct Answer: BCE



https://www.pass4itsure.com/220-010.html

2024 Latest pass4itsure 220-010 PDF and VCE dumps Download

QUESTION 4

Which UCSM policy defines values for alerts?

- A. Server
- B. Threshold
- C. Firmware
- D. Local Disk

Correct Answer: B

QUESTION 5

You are adding a new VLAN to your Vblock® System 340. You create the VLAN on both your Nexus 5000 series switches.

Which two steps are required before this VLAN should be used? (Choose two)

- A. Add the VLAN to an untagged port channel.
- B. Add the VLAN to the port channel between the Nexus 5000 switches and Fabric Interconnects.
- C. Add the VLAN to the port channel joining the Nexus 5000 switches.
- D. Create a new port channel between the Nexus 5000 switched and Fabric Interconnects with the new VLAN.

Correct Answer: BC

220-010 VCE Dumps

220-010 Practice Test

220-010 Braindumps